

PRODUCT NAME	Freshner	Air Freshener #728	PART NO.	342395	00836
MANUFACTURER	Big 'D' Chemical Co.				
FACTURER'S ADDRESS	1708 WEST MAIN OKLAHOMA CITY PHONE (405) 232-5515 OKLA. 73106				
PRODUCT CATEGORY	YES OR NO	Specify exact formula showing percentage of every ingredient by weight. Indicate hazardous ingredients with asterisk (*).			
1) Highly Toxic (poison)	<input type="checkbox"/>	<input checked="" type="checkbox"/>	25% LAURYL METHACRYLATE		
2) Toxic	<input type="checkbox"/>	<input checked="" type="checkbox"/>	05% NEUTRONX		
3) Corrosive (poison)	<input type="checkbox"/>	<input checked="" type="checkbox"/>	15% PROPYLENE GLYCOL		
4) Irritant	<input type="checkbox"/>	<input checked="" type="checkbox"/>	15% TERGESCECE #16		
5) Strong Sensitizer	<input type="checkbox"/>	<input checked="" type="checkbox"/>	30% TRI-ETHANE (INHIBITED 1,1,1, TRICHLORETHANE)		
FLASHPOINT (TAG OPEN CUP)	169	°F	10% ISOPROPYNOL		
AEROSOLS:					
FLASH-BACK?	YES	NO			
FLAME PROJECTION	INCHES				
VISCOSITY	S.U.S.				

US EPA RECORDS CENTER REGION 5



557249

LIST ALL NECESSARY WARNING STATEMENTS AND ANTIDOTES REQUIRED ON THE LABEL UNDER THE FEDERAL HAZARDOUS SUBSTANCES ACT:

1. KEEP OUT OF REACH OF CHILDREN

1. This product requires special registration and/or labeling under federal, state or city acts, laws, codes, etc., please specify and remit all pertinent data.

a. U.S. Dept. of Agriculture (Insecticide, Fungicide and Rodenticide Act) -
Yes ___ No X; if yes, Registration No. _____
Effective Date _____ to _____

b. N.Y. City Fire Dept. - Yes ___ No X; if yes, C. of A. No. _____
Date of Registration _____
Attach a notarized affidavit certifying flash point and, if aerosol, an affidavit certifying that the container conforms to I.C.C. requirements.

c. Indiana - Yes ___ No X; if yes, as poison ___ hazardous product ___ or exemption _____. Date of registration _____

d. Federal Hazardous Substances Act - Yes ___ No X

e. Other, such as Economic Poison Laws.

1. Please attach any independent laboratory test results
2. Please attach four copies of present label

Packaging

State size of containers 4 oz.

State type of container used (glass bottle, tube, metal can, aerosol, etc.) and type of top or cap GLASS BOTTLE-PLASTIC CAP W/LAMINATE INNER SEAL.
If packed in an aerosol or pressurized container, state the propellant (s) used: _____

ROUTING (This portion to be filled out by Whirlpool)

Law Dept. Approval _____
Date _____

Engineering Dept. Approval _____
Date _____

It is agreeable with us to have Whirlpool Corporation use the information we have supplied on Form S1R017028 for the purpose of registering products with federal, state or municipal agencies operating poison control centers or with a governmental agency to which product content information must be submitted by requirement of law.

SIGNATURE OF MANUFACTURER

PLACE OF BUSINESS Big 'D' Chemical 1708 West Main, Oklahoma City, Oklahoma

APPLICATION FORM FOR PARTIAL REFUND OF SEWER SERVICE CHARGE

MONTH OF NOVEMBER 19 72BILLING DATE 11-21-72

Well 323
6" Sparling 16377
852 Arcade St.

Well 484
8" Sparling 37997
837 Arcade St.

City Supply
4" HER. C. 3032084
838 Arcade St.

I. WELLS

A) TOTAL CONSUMPTION

Well 323 Consumption 20.291
+ Well 484 Consumption 31.060 52.351 CCF

B) TOTAL CLEARWATER

Bldg. 17 Clearwater 4.676,200
+ Bldg. 21 Clearwater 27.854,000
32,530,200 GALS ÷ 748 43.537 CCF

(DATE: From OCT 27, 1972 to DEC 1, 1972)

C) SANITARY SEWAGE FACTOR

$\frac{A-B}{A}$ = Factor

$\frac{52.351 - 43.537}{52.351} = \frac{8.814}{52.351} = \dots = .10709$

D) ADJUSTED CONSUMPTION

(Well 323 Consumption) X (C) 2173 CCF

(Well 484 Consumption) X (C) 3326 CCF

E) ADJUSTED CHARGE

Well 323 482.20
+ Well 484 723.57
\$ 1205.77 \$ 1205.77

F) ORIGINAL CHARGE

Well 323 3468.65
+ Well 484 5084.00
\$ \$ 8552.65

G) TOTAL WELL REFUND \$ 7346.88
(F-E)



CITY OF SAINT PAUL

Capital of Minnesota

DEPARTMENT OF PUBLIC WORKS

234 City Hall & Court House 55102

DANIEL J. DUNFORD

Acting Director of Public Works

November 21, 1972

Mr. Ed Hartung
Facilities Engineer
Whirlpool Corporation
850 Arcade Street
St. Paul, Minnesota 55106

Dear Mr. Hartung:

Enclosed you will find:

1. The application forms we would like you to use in computing your future sewer charge refunds.
2. Completed forms for JULY-OCTOBER 1972.
3. Copies of the 1972 Sewer Service Charges.

When submitting these in the future, please include the form you said you would draw up containing clearwater discharge meter readings and the boiler feedwater volumes with corresponding dates.

My department will begin processing Whirlpool's refund as soon as signed copies of the application forms are received in my office.

Please address future correspondence to Mr. Tschida.

Yours very truly,

Henry W. Jackson
Henry W. Jackson
Civil Engineer III

HWJ/WLT/bp
Enc.


P.S. What is the status of the stilling well changes as per my letter of August 9, 1972?

DUCT NAME Touch-up Tubes PART NO. 72017 White

00839

UFACTURER Dupli-Color Products Co.FACTURER'S ADDRESS 1601 Nicholas Boulevard
Elk Grove Village, Illinois 60007 PHONE 439-0600

DUCT CATEGORY	YES OR NO	Specify exact formula showing percentage of every ingredient
Highly Toxic (poison)	<input type="checkbox"/> <input checked="" type="checkbox"/>	by weight. Indicate hazardous ingredients with asterisk (*).
Toxic	<input checked="" type="checkbox"/> <input type="checkbox"/>	
Corrosive (poison)	<input type="checkbox"/> <input checked="" type="checkbox"/>	Various organic and inorganic pigments, cellulose
Irritant	<input type="checkbox"/> <input checked="" type="checkbox"/>	nitrate, acrylic resin, benzyl butyl phthlate,
Strong Sensitizer	<input type="checkbox"/> <input checked="" type="checkbox"/>	toluol*, ethanol*, methyl ethyl ketone*, metayl
SHIPT (TAG OPEN CUP) <u>50</u> °F		iso-butyl ketone* and ethylene glycol monoethyl
AEROSOLS:		ether acetate*.
FLASH-BACK? YES <u>NO</u>		
FLAME PROJECTION <u>INCHES</u>		
VISCOSITY <u>Approx. 400</u> S.U.S.		



ALL NECESSARY WARNING STATEMENTS AND ANTIDOTES REQUIRED ON THE LABEL UNDER THE FEDERAL HAZARDOUS SUBSTANCES ACT:

CAUTION: FLAMMABLE MIXTURE, DO NOT USE NEAR FLAME OR HOT SURFACES. KEEP OUT OF REACH OF CHILDREN. DO NOT TAKE INTERNALLY.

Use in a ventilated area. Avoid prolonged breathing of vapor or repeated contact with skin.

If swallowed, do not induce vomiting. Call physician immediately.

If splashed in eyes, flush with water. Call a physician immediately.

This product requires special registration and/or label under federal, state or city acts, laws, codes, etc., please specify and remit all pertinent data.

U.S. Dept. of Agriculture (Insecticide, Fungicide and Rodenticide Act) -

Yes NO ☒; if yes, Registration No. _____

Effective Date _____ to _____

N.Y. City Fire Dept. - Yes NO ☐; if yes, C. of A. No. _____

Date of Registration _____ (See Letter)

Attach a notarized affidavit certifying flash point and, if aerosol, an affidavit certifying that the container conforms to I.C.C. requirements.

Indiana - Yes NO ☐; if yes, as poison hazardous product or exemption. Date of registration _____ (See Letter)

Federal Hazardous Substances Act - Yes ☒ No ☐

Other, such as Economic Poison Laws.

1. Please attach any independent laboratory test results
2. Please attach four copies of present label

Packaging

State size of containers 1/2 fl. oz.

State type of container used (glass bottle, tube, metal can, aerosol, etc.) and type of top or cap metal, non collapsible tube

If packed in an aerosol or pressurized container, state the propellant (s) used: _____

ROUTING (This portion to be filled out by Whirlpool)

Law Dept. Approval _____

Date _____

Engineering Dept. Approval _____

Date _____

I am agreeable with us to have Whirlpool Corporation use the information we have supplied on Form S1R017028 for the purpose of registering products with federal, state or municipal agencies operating poison control centers or with a governmental agency to which product content information must be submitted by requirement of law.

SIGNATURE OF MANUFACTURER A. J. Schumacher

Dupli-Color Products

PLACE OF BUSINESS 1601 Nicholas Boulevard, Elk Grove Village, Illinois 60007

DUCT NAME Touch-up Tubes PART NO. 72018 TurquoiseUFACTURER Dupli-Color Products Co.

00840

FACTURER'S ADDRESS 1601 Nicholas Boulevard
Elk Grove Village, Illinois 60007 PHONE 439-0600

DUCT CATEGORY YES OR NO Specify exact formula showing percentage of every ingredient by weight. Indicate hazardous ingredients with asterisk (*).

Highly Toxic (poison) ☐ ☒ Various organic and inorganic pigments, cellulose

Toxic ☒ ☐ nitrate, acrylic resin, benzyl butyl phthlate,

Corrosive (poison) ☐ ☒ toluol*, ethanol*, methyl ethyl ketone*, metayl

Irritant ☐ ☒ iso-butyl ketone* and ethylene glycol monoethyl

Strong Sensitizer ☐ ☒ ether acetate*.


SHPOINT (TAG OPEN CUP) 50 °F

AEROSOLS:

FLASH-BACK? YES NO

FLAME PROJECTION INCHES

COSITY Approx. 400 S.U.S.

F ALL NECESSARY WARNING STATEMENTS AND ANTIDOTES REQUIRED ON THE LABEL UNDER THE FEDERAL
ARDOUS SUBSTANCES ACT:AUTION: FLAMMABLE MIXTURE, DO NOT USE NEAR FLAME OR HOT SURFACES. KEEP
OUT OF REACH OF CHILDREN. DO NOT TAKE INTERNALLY.se in a ventilated area. Avoid prolonged breathing of vapor or repeated
ontact with skin.

f swallowed, do not induce vomiting. Call physician immediately.

splashed in eyes, Flush with water. Call a physician immediately.

his product requires special registration and/or label-
under federal, state or city acts, laws, codes, etc.,
ase specify and remit all pertinent data.U.S. Dept. of Agriculture (Insecticide, Fungicide and
Rodenticide Act) -Yes NO ☒; if yes, Registration No. _____

Effective Date _____ to _____

N.Y. City Fire Dept. - Yes NO ☐; if yes, C. of A.
No. _____

Date of Registration _____ (See Letter)

Attach a notarized affidavit certifying flash point and,
if aerosol, an affidavit certifying that the container
conforms to I.C.C. requirements.Indiana - Yes NO ☐; if yes, as poison hazardous
product or exemption. Date of registration _____
(See Letter)Federal Hazardous Substances Act - Yes ☒ No ☐

Other, such as Economic Poison Laws.

1. Please attach any independent laboratory test results
2. Please attach four copies of present label

Packaging

State size of containers 1/2 fl. oState type of container used (glas
bottle, tube, metal can, aerosol,
etc.) and type of top or cap
metal, non collapsible tubeIf packed in an aerosol or pressur
ized container, state the propel-
lant (s) used: _____ROUTING (This portion to be filled
out by Whirlpool)Law Dept. Approval _____
Date _____Engineering Dept. Approval _____
Date _____is agreeable with us to have Whirlpool Corporation use the information we have sup-
plied on Form S1R017028 for the purpose of registering products with federal, state or
municipal agencies operating poison control centers or with a governmental agency to
which product content information must be submitted by requirement of law.

SIGNATURE OF MANUFACTURER

A. J. Schumacher

Dupli-Color Products

PLACE OF BUSINESS

1601 Nicholas Boulevard, Elk Grove Village, Illinois 60007

DUCT NAME Touch-up Tubes PART NO. 72019 CopperUFACTURER Dupli-Color Products Co. 00841ACTURER'S ADDRESS 1601 Nicholas Boulevard
Elk Grove Village, Illinois 60007 PHONE 439-0600

DUCT CATEGORY YES OR NO Specify exact formula showing percentage of every ingredient by weight. Indicate hazardous ingredients with asterisk (*).

Highly Toxic (poison) ☐ ☒ Various organic and inorganic pigments, cellulose

Toxic ☒ ☐ nitrate, acrylic resin, benzyl butyl phthlate,

Corrosive (poison) ☐ ☒ toluol*, ethanol*, methyl ethyl ketone*, metayl

Irritant ☐ ☒ iso-butyl ketone* and ethylene glycol monoethyl

Strong Sensitizer ☐ ☒ ether acetate*.


SHPOINT (TAG OPEN CUP) 50 °F

AEROSOLS:

FLASH-BACK? YES NO

FLAME PROJECTION INCHES

COSITY Approx. 400 S.U.S.

T ALL NECESSARY WARNING STATEMENTS AND ANTIDOTES REQUIRED ON THE LABEL UNDER THE FEDERAL
ARDOUS SUBSTANCES ACT:AUTION: FLAMMABLE MIXTURE, DO NOT USE NEAR FLAME OR HOT SURFACES. KEEP
OUT OF REACH OF CHILDREN. DO NOT TAKE INTERNALLY.se in a ventilated area. Avoid prolonged breathing of vapor or repeated
ontact with skin.

If swallowed, do not induce vomiting. Call physician immediately.

If splashed in eyes, flush with water. Call a physician immediately.

his product requires special registration and/or label-
under federal, state or city acts, laws, codes, etc.,
ase specify and remit all pertinent data.U.S. Dept. of Agriculture (Insecticide, Fungicide and
Rodenticide Act) -Yes NO X; if yes, Registration No. _____

Effective Date _____ to _____

N.Y. City Fire Dept. - Yes NO; if yes, C. of A.
No. _____

Date of Registration _____ (See Letter)

Attach a notarized affidavit certifying flash point and,
if aerosol, an affidavit certifying that the container
conforms to I.C.C. requirements.Indiana - Yes NO; if yes, as poison hazardous
product or exemption. Date of registration _____
(See Letter)Federal Hazardous Substances Act - Yes X No NO

Other, such as Economic Poison Laws.

1. Please attach any independent laboratory test results
2. Please attach four copies of present label

Packaging

State size of containers 1/2 fl. oState type of container used (glass
bottle, tube, metal can, aerosol,
etc.) and type of top or cap
metal, non collapsible tubeIf packed in an aerosol or pressur-
ized container, state the propel-
lant (s) used: _____ROUTING (This portion to be filled
out by Whirlpool)

Law Dept. Approval _____


Date _____

Engineering Dept. Approval _____

Date _____

is agreeable with us to have Whirlpool Corporation use the information we have sup-
plied on Form SIRO17028 for the purpose of registering products with federal, state or
municipal agencies operating poison control centers or with a governmental agency to
which product content information must be submitted by requirement of law.SIGNATURE OF MANUFACTURER A. J. Schumacher Dupli-Color Products
CE OF BUSINESS 1601 Nicholas Boulevard, Elk Grove Village, Illinois 60007

PRODUCT NAME <u>Touch-up Tubes</u>		PART NO. <u>72020</u>	Doeskin
MANUFACTURER <u>Dupli-Color Products Co.</u>		00842	
MANUFACTURER'S ADDRESS <u>1601 Nicholas Boulevard</u> <u>Elk Grove Village, Illinois 60007</u>		PHONE <u>439-0600</u>	
PRODUCT CATEGORY	YES OR NO	Specify exact formula showing percentage of every ingredient by weight. Indicate hazardous ingredients with asterisk (*).	
Highly Toxic (poison)	<input type="checkbox"/> <input checked="" type="checkbox"/>	Various organic and inorganic pigments, cellulose	
Toxic	<input checked="" type="checkbox"/> <input type="checkbox"/>	nitrate, acrylic resin, benzyl butyl phthlate,	
Corrosive (poison)	<input type="checkbox"/> <input checked="" type="checkbox"/>	toluol*, ethanol*, methyl ethyl ketone*, metayl	
Irritant	<input type="checkbox"/> <input checked="" type="checkbox"/>	iso-butyl ketone* and ethylene glycol monoethyl	
Strong Sensitizer	<input type="checkbox"/> <input checked="" type="checkbox"/>	ether acetate*.	
FLASH POINT (TAG OPEN CUP) <u>50</u> °F			
AEROSOLS:			
FLASH-BACK? YES <u>NO</u>			
FLAME PROJECTION <u>INCHES</u>			
DENSITY <u>Approx. 400</u> S.U.S.			



ALL NECESSARY WARNING STATEMENTS AND ANTIDOTES REQUIRED ON THE LABEL UNDER THE FEDERAL HAZARDOUS SUBSTANCES ACT:

CAUTION: FLAMMABLE MIXTURE, DO NOT USE NEAR FLAME OR HOT SURFACES. KEEP OUT OF REACH OF CHILDREN. DO NOT TAKE INTERNALLY.

Use in a ventilated area. Avoid prolonged breathing of vapor or repeated contact with skin.

If swallowed, do not induce vomiting. Call a physician immediately.

If splashed in eyes, flush with water. Call a physician immediately.

This product requires special registration and/or label under federal, state or city acts, laws, codes, etc., please specify and remit all pertinent data.

U.S. Dept. of Agriculture (Insecticide, Fungicide and Rodenticide Act) -

Yes No X; if yes, Registration No.
Effective Date to

N.Y. City Fire Dept. - Yes No; if yes, C. of A. No.

Date of Registration (See Letter)

Attach a notarized affidavit certifying flash point and, if aerosol, an affidavit certifying that the container conforms to I.C.C. requirements.

Indiana - Yes No; if yes, as poison hazardous product or exemption . Date of registration
(See Letter)

Federal Hazardous Substances Act - Yes X No

Other, such as Economic Poison Laws.

1. Please attach any independent laboratory test results
2. Please attach four copies of present label

Packaging

State size of containers 1/2 fl. oz.

State type of container used (glass bottle, tube, metal can, aerosol, etc.) and type of top or cap metal, non collapsible tube

If packed in an aerosol or pressurized container, state the propellant (s) used:

ROUTING (This portion to be filled out by Whirlpool)

Law Dept. Approval
Date

Engineering Dept. Approval


Date

I am agreeable with us to have Whirlpool Corporation use the information we have supplied on Form S1R017028 for the purpose of registering products with federal, state or municipal agencies operating poison control centers or with a governmental agency to which product content information must be submitted by requirement of law.

NATURE OF MANUFACTURER A.J. Schumacher Dupli-Color Products
PLACE OF BUSINESS 1601 Nicholas Boulevard, Elk Grove Village, Illinois 60007

PRODUCT NAME Touch-up Tubes PART NO. 72021 Avocado
 MANUFACTURER Dupli-Color Products Co. 00843
 MANUFACTURER'S ADDRESS 1601 Nicholas Boulevard
Elk Grove Village, Illinois 60007 PHONE 439-0600

PRODUCT CATEGORY YES OR NO Specify exact formula showing percentage of every ingredient by weight. Indicate hazardous ingredients with asterisk (*).
 Highly Toxic (poison) ☐ ☒ Various organic and inorganic pigments, cellulose
 Toxic ☒ ☐ nitrate, acrylic resin, benzyl butyl phthalate,
 Corrosive (poison) ☐ ☒ toluol*, ethanol*, methyl ethyl ketone*, metayl
 Irritant ☐ ☒ iso-butyl ketone* and ethylene glycol monoethyl
 Strong Sensitizer ☐ ☒ ether acetate*.
 FLASHPOINT (TAG OPEN CUP) 50 °F
 AEROSOLS:
 FLASH-BACK? YES NO
 FLAME PROJECTION INCHES
 COSITY Approx. 400 S.U.S.



ATTACH ALL NECESSARY WARNING STATEMENTS AND ANTIDOTES REQUIRED BY THE LABEL UNDER THE FEDERAL HAZARDOUS SUBSTANCES ACT:

CAUTION: FLAMMABLE MIXTURE, DO NOT USE NEAR FLAME OR HOT SURFACES. KEEP OUT OF REACH OF CHILDREN. DO NOT TAKE INTERNALLY.

Use in a ventilated area. Avoid prolonged breathing of vapor or repeated contact with skin.

If swallowed, do not induce vomiting. Call a physician immediately.

If splashed in eyes, flush with water. Call a physician immediately.

This product requires special registration and/or labeling under federal, state or city acts, laws, codes, etc., please specify and remit all pertinent data.

U.S. Dept. of Agriculture (Insecticide, Fungicide and Rodenticide Act) -

Yes NO ☒; if yes, Registration No. _____
 Effective Date _____ to _____

N.Y. City Fire Dept. - Yes NO ☐; if yes, C. of A. No. _____

Date of Registration _____ (See Letter)

Attach a notarized affidavit certifying flash point and, if aerosol, an affidavit certifying that the container conforms to I.C.C. requirements.

Indiana - Yes NO ☐; if yes, as poison hazardous product or exemption. Date of registration _____
 (See Letter)

Federal Hazardous Substances Act - Yes X ☒ No NO ☐

Other, such as Economic Poison Laws.

1. Please attach any independent laboratory test results
2. Please attach four copies of present label

Packaging
 State size of containers 1/2 fl. oz.

State type of container used (glass bottle, tube, metal can, aerosol, etc.) and type of top or cap
metal, non collapsible tube

If packed in an aerosol or pressurized container, state the propellant (s) used: _____

ROUTING (This portion to be filled out by Whirlpool)

Law Dept. Approval _____

Date _____

Engineering Dept. Approval _____

Date _____

I hereby agreeable with us to have Whirlpool Corporation use the information we have supplied on Form S1R017028 for the purpose of registering products with federal, state or municipal agencies operating poison control centers or with a governmental agency to which product content information must be submitted by requirement of law.

SIGNATURE OF MANUFACTURER A. J. Schumacher Dupli-Color Products
 OFFICE OF BUSINESS 1601 Nicholas Boulevard, Elk Grove Village, Illinois 60007

DUCT NAME Touch-up Tubes PART NO. 72022 Sapphire BlueUFACTURER Dupli-Color Products Co.

00844

FACTURER'S ADDRESS 1601 Nicholas Boulevard
Elk Grove Village, Illinois 60007 PHONE 439-0600

DUCT CATEGORY YES OR NO Specify exact formula showing percentage of every ingredient by weight. Indicate hazardous ingredients with asterisk (*).

Highly Toxic (poison) ☐ ☒ Various organic and inorganic pigments, cellulose

Toxic ☒ ☐ nitrate, acrylic resin, benzyl butyl phthlate,

Corrosive (poison) ☐ ☒ toluol*, ethanol*, methyl ethyl ketone*, metayl

Irritant ☐ ☒ iso-butyl ketone* and ethylene glycol monoethyl

Strong Sensitizer ☐ ☒ ether acetate*.


SHPOINT (TAG OPEN CUP) 50 °F

AEROSOLS:

FLASH-BACK? YES NO

FLAME PROJECTION INCHES

VISCOSITY Approx. 400 S.U.S.



ALL NECESSARY WARNING STATEMENTS AND ANTIDOTES REQUIRED ON THE LABEL UNDER THE FEDERAL HAZARDOUS SUBSTANCES ACT:

AUTION: FLAMMABLE MIXTURE, DO NOT USE NEAR FLAME OR HOT SURFACES. KEEP OUT OF REACH OF CHILDREN. DO NOT TAKE INTERNALLY.

Use in a ventilated area. Avoid prolonged breathing of vapor or repeated contact with skin.

If swallowed, do not induce vomiting. Call a physician immediately.

If splashed in eyes, flush with water. Call a physician immediately.

This product requires special registration and/or label under federal, state or city acts, laws, codes, etc., please specify and remit all pertinent data.

U.S. Dept. of Agriculture (Insecticide, Fungicide and Rodenticide Act) -

Yes NO X; if yes, Registration No. _____

Effective Date _____ to _____

N.Y. City Fire Dept. - Yes NO; if yes, C. of A. No. _____

Date of Registration _____ (See Letter)

Attach a notarized affidavit certifying flash point and, if aerosol, an affidavit certifying that the container conforms to I.C.C. requirements.

Indiana - Yes NO; if yes, as poison hazardous product or exemption. Date of registration _____ (See Letter)

Federal Hazardous Substances Act - Yes X No NO

Other, such as Economic Poison Laws.

1. Please attach any independent laboratory test results
2. Please attach four copies of present label

Packaging

State size of containers 1/2 fl.oz

State type of container used (glass bottle, tube, metal can, aerosol, etc.) and type of top or cap metal, non collapsible tube

If packed in an aerosol or pressurized container, state the propellant (s) used: _____

ROUTING (This portion to be filled out by Whirlpool)

Law Dept. Approval _____

Date _____

Engineering Dept. Approval _____

Date _____

I agreeable with us to have Whirlpool Corporation use the information we have supplied on Form SIRO17028 for the purpose of registering products with federal, state or municipal agencies operating poison control centers or with a governmental agency to which product content information must be submitted by requirement of law.

SIGNATURE OF MANUFACTURER

A.J. Schumacher

Dupli-Color Products

PLACE OF BUSINESS

1601 Nicholas Boulevard, Elk Grove Village, Illinois 60007

WHIRLPOOL CORPORATION CHEMICAL SPECIALTY INFORMATION

DUCT NAME Touch-up Tubes PART NO. 72023 Coca Brown

UFACTURER Dupli-Color Products Co. 00845

...CTURER'S ADDRESS 1601 Nicholas Boulevard
Elk Grove Village, Illinois 60007 PHONE 439-0600

DUCT CATEGORY YES OR NO Specify exact formula showing percentage of every ingredient by weight. Indicate hazardous ingredients with asterisk (*).

Highly Toxic (poison) ☐ ☒ Various organic and inorganic pigments, cellulose

Toxic ☒ ☐ nitrate, acrylic resin, benzyl butyl phthlate,

Corrosive (poison) ☐ ☒ toluol*, ethanol*, methyl ethyl ketone*, metayl

Irritant ☐ ☒ iso-butyl ketone* and ethylene glycol monoethyl

Strong Sensitizer ☐ ☒ ether acetate*.

SHPOINT (TAG OPEN CUP) 50 °F

AEROSOLS:

FLASH-BACK? YES NO

FLAME PROJECTION INCHES

OSITY Approx. 400 S.U.S.

NO. 24 13/2

ALL NECESSARY WARNING STATEMENTS AND ANTIDOTES REQUIRED ON THE LABEL UNDER THE FEDERAL HAZARDOUS SUBSTANCES ACT:

CAUTION: FLAMMABLE MIXTURE, DO NOT USE NEAR FLAME OR HOT SURFACES. KEEP OUT OF REACH OF CHILDREN. DO NOT TAKE INTERNALLY.

se in a ventilated area. Avoid prolonged breathing of vapor or repeated contact with skin.

f swallowed, do not induce vomiting. Call a physician immediately.

f splashed in eyes, flush with water. Call a physician immediately.

his product requires special registration and/or label under federal, state or city acts, laws, codes, etc., ase specify and remit all pertinent data.

U.S. Dept. of Agriculture (Insecticide, Fungicide and Rodenticide Act) -

Yes No X; if yes, Registration No. Effective Date to

N.Y. City Fire Dept. - Yes No; if yes, C. of A. No. (See Letter)

Date of Registration Attach a notarized affidavit certifying flash point and, if aerosol, an affidavit certifying that the container conforms to I.C.C. requirements.

Indiana - Yes No; if yes, as poison hazardous product or exemption. Date of registration (See Letter)

Federal Hazardous Substances Act - Yes X No

Other, such as Economic Poison Laws.

1. Please attach any independent laboratory test results
2. Please attach four copies of present label

Packaging

State size of containers 1/2 fl.o.

State type of container used (glas bottle, tube, metal can, aerosol, etc.) and type of top or cap metal, non collapsible tube

If packed in an aerosol or pressurized container, state the propellant (s) used:

ROUTING (This portion to be filled out by Whirlpool)

Law Dept. Approval Date

Engineering Dept. Approval Date

Date

is agreeable with us to have Whirlpool Corporation use the information we have supplied on Form SIRO17028 for the purpose of registering products with federal, state or municipal agencies operating poison control centers or with a governmental agency to which product content information must be submitted by requirement of law.

SIGNATURE OF MANUFACTURER A.J. Schumacher Dupli-Color Products

CE OF BUSINESS 1601 Nicholas Boulevard, Elk Grove Village, Illinois 60007

DUCT NAME Touch-up Tubes PART NO. 72024 Caribou BrownUFACTURER Dupli-Color Products Co.

00846

FACTURER'S ADDRESS 1601 Nicholas Boulevard
Elk Grove Village, Illinois 60007 PHONE 439-0600

DUCT CATEGORY	YES OR NO	Specify exact formula showing percentage of every ingredient by weight. Indicate hazardous ingredients with asterisk (*).
Highly Toxic (poison)	<input type="checkbox"/> <input checked="" type="checkbox"/>	Various organic and inorganic pigments, cellulose nitrate, acrylic resin, benzyl butyl phthlate, toluol*, ethanol*, methyl ethyl ketone*, metayl iso-butyl ketone* and ethylene glycol monoethyl ether acetate*.
Toxic	<input checked="" type="checkbox"/> <input type="checkbox"/>	
Corrosive (poison)	<input type="checkbox"/> <input checked="" type="checkbox"/>	
Irritant	<input type="checkbox"/> <input checked="" type="checkbox"/>	
Strong Sensitizer	<input type="checkbox"/> <input checked="" type="checkbox"/>	
SHPOINT (TAG OPEN CUP) <u>50</u> °F		
AEROSOLS:		
FLASH-BACK? YES <u> </u> NO <u> </u>		
FLAME PROJECTION <u> </u> INCHES		
COSITY <u>Approx. 400</u> S.U.S.		

T ALL NECESSARY WARNING STATEMENTS AND ANTIDOTES REQUIRED ON THE LABEL UNDER THE FEDERAL ARDOUS SUBSTANCES ACT:

AUTION: FLAMMABLE MIXTURE, DO NOT USE NEAR FLAME OR HOT SURFACES. KEEP OUT OF REACH OF CHILDREN. DO NOT TAKE INTERNALLY.

se in a ventilated area. Avoid prolonged breathing of vapor or repeated ontact with skin.

If swallowed, do not induce vomiting. Call a physician immediately.

If splashed in eyes, flush with water. Call a physician immediately.

his product requires special registration and/or label-
under federal, state or city acts, laws, codes, etc.,
ase specify and remit all pertinent data.U.S. Dept. of Agriculture (Insecticide, Fungicide and
Rodenticide Act) -Yes No X; if yes, Registration No. Effective Date to N.Y. City Fire Dept. - Yes No ; if yes, C. of A.
No. Date of Registration (See Letter)Attach a notarized affidavit certifying flash point and,
if aerosol, an affidavit certifying that the container
conforms to I.C.C. requirements.Indiana - Yes No ; if yes, as poison hazardous
product or exemption . Date of registration
(See Letter)Federal Hazardous Substances Act - Yes X No

Other, such as Economic Poison Laws.

1. Please attach any independent laboratory test results
2. Please attach four copies of present label

Packaging

State size of containers 1/2 fl. oState type of container used (glas
bottle, tube, metal can, aerosol,
etc.) and type of top or cap
metal, non collapsible tubeIf packed in an aerosol or pressur
ized container, state the propel-
lant (s) used: ROUTING (This portion to be filled
out by Whirlpool)Law Dept. Approval Date Engineering Dept. Approval Date is agreeable with us to have Whirlpool Corporation use the information we have sup-
plied on Form SIRO17028 for the purpose of registering products with federal, state or
municipal agencies operating poison control centers or with a governmental agency to
which product content information must be submitted by requirement of law.

GNATURE OF MANUFACTURER


A. J. SchumacherDupli-Color Products

ACE OF BUSINESS

1601 Nicholas Boulevard, Elk Grove Village, Illinois 60007

DUCT NAME Touch-up Tubes PART NO. 72025 Avocado Hi-LiteUFACTURER Dupli-Color Products Co. 00847...CTURER'S ADDRESS 1601 Nicholas Boulevard
Elk Grove Village, Illinois 60007 PHONE 439-0600

DUCT CATEGORY	YES OR NO	Specify exact formula showing percentage of every ingredient by weight. Indicate hazardous ingredients with asterisk (*).
Highly Toxic (poison)	<input type="checkbox"/> <input checked="" type="checkbox"/>	Various organic and inorganic pigments, cellulose nitrate, acrylic resin, benzyl butyl phthlate, toluol*, ethanol*, methyl ethyl ketone*, metayl iso-butyl ketone* and ethylene glycol monoethyl ether acetate*.
Toxic	<input checked="" type="checkbox"/> <input type="checkbox"/>	
Corrosive (poison)	<input type="checkbox"/> <input checked="" type="checkbox"/>	
Irritant	<input type="checkbox"/> <input checked="" type="checkbox"/>	
Strong Sensitizer	<input type="checkbox"/> <input checked="" type="checkbox"/>	
SHPOINT (TAG OPEN CUP) <u>50</u> °F		
AEROSOLS:		
FLASH-BACK? YES <u> </u> NO <u> </u>		
FLAME PROJECTION <u> </u> INCHES		
COSITY <u>Approx. 400</u> S.U.S.		



ALL NECESSARY WARNING STATEMENTS AND ANTIDOTES REQUIRED ON THE LABEL UNDER THE FEDERAL HAZARDOUS SUBSTANCES ACT:

CAUTION: FLAMMABLE MIXTURE, DO NOT USE NEAR FLAME OR HOT SURFACES. KEEP OUT OF REACH OF CHILDREN. DO NOT TAKE INTERNALLY.

Use in a ventilated area. Avoid prolonged breathing of vapor or repeated contact with skin.

If swallowed, do not induce vomiting. Call a physician immediately.

If splashed in eyes, flush with water. Call a physician immediately.

This product requires special registration and/or label under federal, state or city acts, laws, codes, etc., please specify and remit all pertinent data.

U.S. Dept. of Agriculture (Insecticide, Fungicide and Rodenticide Act) -

Yes No X; if yes, Registration No.
Effective Date to

N.Y. City Fire Dept. - Yes No ; if yes, C. of A. No.

Date of Registration (See Letter)

Attach a notarized affidavit certifying flash point and, if aerosol, an affidavit certifying that the container conforms to I.C.C. requirements.

Indiana - Yes No ; if yes, as poison hazardous product or exemption . Date of registration
(See Letter)

Federal Hazardous Substances Act - Yes X No

Other, such as Economic Poison Laws.

1. Please attach any independent laboratory test results
2. Please attach four copies of present label

Packaging

State size of containers 1/2 fl. oz.

State type of container used (glass bottle, tube, metal can, aerosol, etc.) and type of top or cap metal, non collapsible tube

If packed in an aerosol or pressurized container, state the propellant (s) used:

ROUTING (This portion to be filled out by Whirlpool)

Law Dept. Approval

Date

Engineering Dept. Approval

Date


I agreeable with us to have Whirlpool Corporation use the information we have supplied on Form SIRO17028 for the purpose of registering products with federal, state or municipal agencies operating poison control centers or with a governmental agency to which product content information must be submitted by requirement of law.

SIGNATURE OF MANUFACTURER A. J. Schumacher Dupli-Color Products

PLACE OF BUSINESS 1601 Nicholas Boulevard, Elk Grove Village, Illinois 60007

DUCT NAME Touch-up Tubes PART NO. 72026 Doeskin Hi-Lite
 UFACTURER Dupli-Color Products Co. 00848
 ...CTURER'S ADDRESS 1601 Nicholas Boulevard
Elk Grove Village, Illinois 60007 PHONE 439-0600

DUCT CATEGORY	YES OR NO	Specify exact formula showing percentage of every ingredient by weight. Indicate hazardous ingredients with asterisk (*). Various organic and inorganic pigments, cellulose nitrate, acrylic resin, benzyl butyl phthlate, toluol*, ethanol*, methyl ethyl ketone*, metayl iso-butyl ketone* and ethylene glycol monoethyl ether acetate*.
Highly Toxic (poison)	<input type="checkbox"/> <input checked="" type="checkbox"/>	
Toxic	<input checked="" type="checkbox"/> <input type="checkbox"/>	
Corrosive (poison)	<input type="checkbox"/> <input checked="" type="checkbox"/>	
Irritant	<input type="checkbox"/> <input checked="" type="checkbox"/>	
Strong Sensitizer	<input type="checkbox"/> <input checked="" type="checkbox"/>	
SHPOINT (TAG OPEN CUP) <u>50</u> °F		
AEROSOLS:		
FLASH-BACK? YES <u>NO</u>		
FLAME PROJECTION <u>INCHES</u>		
COSITY <u>Approx. 400</u> S.U.S.		



ALL NECESSARY WARNING STATEMENTS AND ANTIDOTES REQUIRED ON THE LABEL UNDER THE FEDERAL HAZARDOUS SUBSTANCES ACT:

CAUTION: FLAMMABLE MIXTURE, DO NOT USE NEAR FLAME OR HOT SURFACES. KEEP OUT OF REACH OF CHILDREN. DO NOT TAKE INTERNALLY.

Use in a ventilated area. Avoid prolonged breathing of vapor or repeated contact with skin.

If swallowed, do not induce vomiting. Call a physician immediately.

If splashed in eyes, flush with water. Call a physician immediately.

This product requires special registration and/or label under federal, state or city acts, laws, codes, etc., please specify and remit all pertinent data. U.S. Dept. of Agriculture (Insecticide, Fungicide and Rodenticide Act) - Yes <u>NO</u> <input checked="" type="checkbox"/> ; if yes, Registration No. _____ Effective Date _____ to _____ N.Y. City Fire Dept. - Yes <u>NO</u> ; if yes, C. of A. No. _____ (See Letter) Attach a notarized affidavit certifying flash point and, if aerosol, an affidavit certifying that the container conforms to I.C.C. requirements. Indiana - Yes <u>NO</u> ; if yes, as poison <u>hazardous</u> product <u>or exemption</u> . Date of registration _____ (See Letter) Federal Hazardous Substances Act - Yes <input checked="" type="checkbox"/> No <u>NO</u> Other, such as Economic Poison Laws. 1. Please attach any independent laboratory test results 2. Please attach four copies of present label	Packaging State size of containers <u>1/2 fl.oz</u> State type of container used (glass bottle, tube, metal can, aerosol, etc.) and type of top or cap <u>metal, non collapsible tube</u> If packed in an aerosol or pressurized container, state the propellant (s) used: _____ ROUTING (This portion to be filled out by Whirlpool) Law Dept. Approval _____ Date _____ Engineering Dept. Approval _____ Date _____
---	---

is agreeable with us to have Whirlpool Corporation use the information we have supplied on Form S1R017028 for the purpose of registering products with federal, state or municipal agencies operating poison control centers or with a governmental agency to which product content information must be submitted by requirement of law.

NATURE OF MANUFACTURER Dupli-Color Products
A.J. Schumacher
 CE OF BUSINESS 1601 Nicholas Boulevard, Elk Grove Village, Illinois 60007

PRODUCT NAME Touch-up Tubes PART NO. 72028 Sapphire Blue Hi-Lite

MANUFACTURER Dupli-Color Products Co. 00849

MANUFACTURER'S ADDRESS 1601 Nicholas Boulevard
Elk Grove Village, Illinois 60007 PHONE 439-0600

PRODUCT CATEGORY YES OR NO Specify exact formula showing percentage of every ingredient by weight. Indicate hazardous ingredients with asterisk (*).
Highly Toxic (poison) ☐ ☒
Toxic ☒ ☐
Corrosive (poison) ☐ ☒
Irritant ☐ ☒
Strong Sensitizer ☐ ☒
FLASH POINT (TAG OPEN CUP) 50 °F
AEROSOLS: Various organic and inorganic pigments, cellulose nitrate, acrylic resin, benzyl butyl phthalate, toluol*, ethanol*, methyl ethyl ketone*, metayl iso-butyl ketone* and ethylene glycol monoethyl ether acetate*.

FLASH-BACK? YES NO
FLAME PROJECTION INCHES
DENSITY Approx. 400 S.U.S.

ALL NECESSARY WARNING STATEMENTS AND ANTIDOTES REQUIRED ON THE LABEL UNDER THE FEDERAL HAZARDOUS SUBSTANCES ACT:

CAUTION: FLAMMABLE MIXTURE, DO NOT USE NEAR FLAME OR HOT SURFACES. KEEP OUT OF REACH OF CHILDREN. DO NOT TAKE INTERNALLY.

Use in a ventilated area. Avoid prolonged breathing of vapor or repeated contact with skin.

If swallowed, do not induce vomiting. Call a physician immediately.
If splashed in eyes, flush with water. Call a physician immediately.

This product requires special registration and/or labeling under federal, state or city acts, laws, codes, etc., please specify and remit all pertinent data.

U.S. Dept. of Agriculture (Insecticide, Fungicide and Rodenticide Act) -

Yes NO ☒; if yes, Registration No. _____
Effective Date _____ to _____

N.Y. City Fire Dept. - Yes NO ☐; if yes, C. of A. No. _____

Date of Registration _____ (See Letter)

Attach a notarized affidavit certifying flash point and, if aerosol, an affidavit certifying that the container conforms to I.C.C. requirements.

Indiana - Yes NO ☐; if yes, as poison hazardous product or exemption _____. Date of registration _____
(See Letter)

Federal Hazardous Substances Act - Yes ☒ No ☐

Other, such as Economic Poison Laws.

1. Please attach any independent laboratory test results
2. Please attach four copies of present label

Packaging
State size of containers 1/2 fl. oz.

State type of container used (glass bottle, tube, metal can, aerosol, etc.) and type of top or cap metal, non collapsible tube

If packed in an aerosol or pressurized container, state the propellant (s) used: _____

ROUTING (This portion to be filled out by Whirlpool)

Law Dept. Approval _____
Date _____

Engineering Dept. Approval _____

Date _____

I am agreeable with us to have Whirlpool Corporation use the information we have supplied on Form S1R017028 for the purpose of registering products with federal, state or municipal agencies operating poison control centers or with a governmental agency to which product content information must be submitted by requirement of law.

SIGNATURE OF MANUFACTURER A. J. Schumacher Dupli-Color Products
DATE OF BUSINESS 1601 Nicholas Boulevard, Elk Grove Village, Illinois 60007

DUCT NAME Touch-up Tubes PART NO. 72032 BlackUFACTURER Dupli-Color Products Co.

00850

FACTURER'S ADDRESS 1601 Nicholas Boulevard
Elk Grove Village, Illinois 60007 PHONE 439-0600

DUCT CATEGORY	YES OR NO	Specify exact formula showing percentage of every ingredient by weight. Indicate hazardous ingredients with asterisk (*).
Highly Toxic (poison)	<input type="checkbox"/> <input checked="" type="checkbox"/>	Various organic and inorganic pigments, cellulose nitrate, acrylic resin, benzyl butyl phthlate, toluol*, ethanol*, methyl ethyl ketone*, metayl iso-butyl ketone* and ethylene glycol monoethyl ether acetate*.
Toxic	<input checked="" type="checkbox"/> <input type="checkbox"/>	
Corrosive (poison)	<input type="checkbox"/> <input checked="" type="checkbox"/>	
Irritant	<input type="checkbox"/> <input checked="" type="checkbox"/>	
Strong Sensitizer	<input type="checkbox"/> <input checked="" type="checkbox"/>	
SHOPOINT (TAG OPEN CUP) <u>50</u> °F		
AEROSOLS:		
FLASH-BACK? YES <u> </u> NO <u> </u>		
FLAME PROJECTION <u> </u> INCHES		
COSITY Approx. <u>400</u> S.U.S.		

T ALL NECESSARY WARNING STATEMENTS AND ANTIDOTES REQUIRED ON THE LABEL UNDER THE FEDERAL
ARDOUS SUBSTANCES ACT:AUTION: FLAMMABLE MIXTURE, DO NOT USE NEAR FLAME OR HOT SURFACES. KEEP
OUT OF REACH OF CHILDREN. DO NOT TAKE INTERNALLY.se in a ventilated area. Avoid prolonged breathing of vapor or repeated
ontact with skin.

f swallowed, do not induce vomiting. Call a physician immediately.

f splashed in eyes, flush with water. Call a physician immediately.

his product requires special registration and/or label-
under federal, state or city acts, laws, codes, etc.,
ase specify and remit all pertinent data.U.S. Dept. of Agriculture (Insecticide, Fungicide and
Rodenticide Act) - Yes No X; if yes, Registration No. Effective Date to N.Y. City Fire Dept. - Yes No ; if yes, C. of A.
No. Date of Registration (See Letter)Attach a notarized affidavit certifying flash point and,
if aerosol, an affidavit certifying that the container
conforms to I.C.C. requirements.Indiana - Yes No ; if yes, as poison hazardous
product or exemption . Date of registration
(See Letter)Federal Hazardous Substances Act - Yes X No

Other, such as Economic Poison Laws.

1. Please attach any independent laboratory test results
2. Please attach four copies of present label

Packaging

State size of containers 1/2 fl. oz.State type of container used (glas
bottle, tube, metal can, aerosol,
etc.) and type of top or cap
metal, non collapsible tubeIf packed in an aerosol or pressur-
ized container, state the propel-
lant (s) used: ROUTING (This portion to be filled
out by Whirlpool)Law Dept. Approval Date Engineering Dept. Approval Date is agreeable with us to have Whirlpool Corporation use the information we have sup-
plied on Form S1R017028 for the purpose of registering products with federal, state or
municipal agencies operating poison control centers or with a governmental agency to
which product content information must be submitted by requirement of law.

NATURE OF MANUFACTURER

Dupli-Color Products

CE OF BUSINESS

A. J. Schumacher
1601 Nicholas Boulevard, Elk Grove Village, Illinois 60007

JCT NAME Touch-up Tubes PART NO. 72094 Harvest GoldFACTURER Dupli-Color Products Co. 00851FACTURER'S ADDRESS 1601 Nicholas Boulevard
Elk Grove Village, Illinois 60007 PHONE 439-0600

JCT CATEGORY	YES OR NO	Specify exact formula showing percentage of every ingredient by weight. Indicate hazardous ingredients with asterisk (*).
Highly Toxic (poison)	<input type="checkbox"/> <input checked="" type="checkbox"/>	Various organic and inorganic pigments, cellulose nitrate, acrylic resin, benzyl butyl phthlate, toluol*, ethanol*, methyl ethyl ketone*, metayl iso-butyl ketone* and ethylene glycol monoethyl ether acetate*.
Toxic	<input checked="" type="checkbox"/> <input type="checkbox"/>	
Corrosive (poison)	<input type="checkbox"/> <input checked="" type="checkbox"/>	
Irritant	<input type="checkbox"/> <input checked="" type="checkbox"/>	
Strong Sensitizer	<input type="checkbox"/> <input checked="" type="checkbox"/>	
POINT (TAG OPEN CUP) <u>50</u> °F		
AEROSOLS:		
FLASH-BACK? YES <u>NO</u>		
FLAME PROJECTION <u>INCHES</u>		
DENSITY <u>Approx. 400</u> S.U.S.		

ALL NECESSARY WARNING STATEMENTS AND ANTIDOTES REQUIRED ON THE LABEL UNDER THE FEDERAL HAZARDOUS SUBSTANCES ACT:

NOTATION: FLAMMABLE MIXTURE, DO NOT USE NEAR FLAME OR HOT SURFACES. KEEP OUT OF REACH OF CHILDREN. DO NOT TAKE INTERNALLY.

Use in a ventilated area. Avoid prolonged breathing of vapor or repeated contact with skin.

If swallowed, do not induce vomiting. Call a physician immediately.

If splashed in eyes, flush with water. Call a physician immediately.

Does product require special registration and/or labeling under federal, state or city acts, laws, codes, etc.,? If yes, specify and remit all pertinent data.

U.S. Dept. of Agriculture (Insecticide, Fungicide and Rodenticide Act) -

Yes No X; if yes, Registration No. _____
Effective Date _____ to _____N.Y. City Fire Dept. - Yes No; if yes, C. of A. No. _____

Date of Registration _____ (See Letter)

Attach a notarized affidavit certifying flash point and, if aerosol, an affidavit certifying that the container conforms to I.C.C. requirements.

Indiana - Yes No; if yes, as poison hazardous product or exemption. Date of registration _____
(See Letter)Federal Hazardous Substances Act - Yes X No NO

Other, such as Economic Poison Laws.

1. Please attach any independent laboratory test results
2. Please attach four copies of present label

Packaging

State size of containers 1/2 fl. oz

State type of container used (glass bottle, tube, metal can, aerosol, etc.) and type of top or cap metal, non collapsible tube

If packed in an aerosol or pressurized container, state the propellant (s) used: _____

ROUTING (This portion to be filled out by Whirlpool)

Law Dept. Approval _____

Date _____

Engineering Dept. Approval _____

Date _____

I am agreeable with us to have Whirlpool Corporation use the information we have supplied on Form S1R017028 for the purpose of registering products with federal, state or municipal agencies operating poison control centers or with a governmental agency to which product content information must be submitted by requirement of law.

SIGNATURE OF MANUFACTURER A.J. Schumacher Dupli-Color ProductsADDRESS OF BUSINESS 1601 Nicholas Boulevard, Elk Grove Village, Illinois 60007

PRODUCT NAME Touch-up Tubes PART NO. 72095Harvest Gold Hi-Lite

MANUFACTURER Dupli-Color Products Co. 00852

MANUFACTURER'S ADDRESS 1601 Nicholas Boulevard
Elk Grove Village, Illinois 60007 PHONE 439-0600

PRODUCT CATEGORY YES OR NO Specify exact formula showing percentage of every ingredient
Highly Toxic (poison) ☐ ☒ by weight. Indicate hazardous ingredients with asterisk (*).
Toxic ☒ ☐
Corrosive (poison) ☐ ☒ Various organic and inorganic pigments, cellulose
Irritant ☐ ☒ nitrate, acrylic resin, benzyl butyl phthlate,
Strong Sensitizer ☐ ☒ toluol*, ethanol*, methyl ethyl ketone*, methyl
FLASH POINT (TAG OPEN CUP) 50 °F iso-butyl ketone* and ethylene glycol monoethyl
ethers acetate*.

AEROSOLS:
FLASH-BACK? YES NO
FLAME PROJECTION INCHES
VISCOSITY Approx. 400 S.U.S.

ALL NECESSARY WARNING STATEMENTS AND ANTIDOTES REQUIRED ON THE LABEL UNDER THE FEDERAL
HAZARDOUS SUBSTANCES ACT:

CAUTION: FLAMMABLE MIXTURE, DO NOT USE NEAR FLAME OR HOT SURFACES. KEEP
OUT OF REACH OF CHILDREN. DO NOT TAKE INTERNALLY.

Use in a ventilated area. Avoid prolonged breathing of vapor or repeated
contact with skin.

If swallowed, do not induce vomiting. Call a physician immediately.

If splashed in eyes, flush with water. Call a physician immediately.

This product requires special registration and/or label-
under federal, state or city acts, laws, codes, etc.,
Please specify and remit all pertinent data.

U.S. Dept. of Agriculture (Insecticide, Fungicide and
Rodenticide Act) -

Yes NO X; if yes, Registration No. _____

Effective Date _____ to _____

N.Y. City Fire Dept. - Yes NO; if yes, C. of A.
No. _____

Date of Registration _____ (See Letter)

Attach a notarized affidavit certifying flash point and,
if aerosol, an affidavit certifying that the container
conforms to I.C.C. requirements.

Indiana - Yes NO; if yes, as poison hazardous
product or exemption. Date of registration _____
(See Letter)


Federal Hazardous Substances Act - Yes X No NO

Other, such as Economic Poison Laws.

1. Please attach any independent laboratory test results
2. Please attach four copies of present label

I am agreeable with us to have Whirlpool Corporation use the information we have sup-
plied on Form SI0017028 for the purpose of registering products with federal, state or
municipal agencies operating poison control centers or with a governmental agency to
which product content information must be submitted by requirement of law.

SIGNATURE OF MANUFACTURER A. J. Schumacher Dupli-Color Products
ADDRESS OF BUSINESS 1601 Nicholas Boulevard, Elk Grove Village, Illinois 60007



PRODUCT NAME Touch-up Tubes PART NO. 72096 Gothic Gray

MANUFACTURER Dupli-Color Products Co. 00853

MANUFACTURER'S ADDRESS 1601 Nicholas Boulevard
Elk Grove Village, Illinois 60007 PHONE 439-0600

PRODUCT CATEGORY	YES OR NO	Specify exact formula showing percentage of every ingredient by weight. Indicate hazardous ingredients with asterisk (*). Various organic and inorganic pigments, cellulose nitrate, acrylic resin, benzyl butyl phthalate, toluol*, ethanol*, methyl ethyl ketone*, metayl iso-butyl ketone* and ethylene glycol monoethyl ether acetate*.
Highly Toxic (poison)	<input type="checkbox"/> <input checked="" type="checkbox"/>	
Toxic	<input checked="" type="checkbox"/> <input type="checkbox"/>	
Corrosive (poison)	<input type="checkbox"/> <input checked="" type="checkbox"/>	
Irritant	<input type="checkbox"/> <input checked="" type="checkbox"/>	
Strong Sensitizer	<input type="checkbox"/> <input checked="" type="checkbox"/>	
FLASH POINT (TAG OPEN CUP)	<u>50</u> °F	
AEROSOLS:		
FLASH-BACK?	YES <u>NO</u>	
FLAME PROJECTION	<u>INCHES</u>	
THICKNESS	<u>Approx. 400</u>	S.U.S.

NOV 24 1974

ALL NECESSARY WARNING STATEMENTS AND ANTIDOTES REQUIRED ON THE LABEL UNDER THE FEDERAL HAZARDOUS SUBSTANCES ACT:

CAUTION: FLAMMABLE MIXTURE, DO NOT USE NEAR FLAME OR HOT SURFACES. KEEP OUT OF REACH OF CHILDREN. DO NOT TAKE INTERNALLY.

Use in a ventilated area. Avoid prolonged breathing of vapor or repeated contact with skin.

If swallowed, do not induce vomiting. Call a physician immediately.
If splashed in eyes, flush with water. Call a physician immediately.

This product requires special registration and/or label under federal, state or city acts, laws, codes, etc., please specify and remit all pertinent data.

U.S. Dept. of Agriculture (Insecticide, Fungicide and Rodenticide Act) -

Yes No ☒; if yes, Registration No. _____
Effective Date _____ to _____

N.Y. City Fire Dept. - Yes No; if yes, C. of A. No. _____
Date of Registration _____ (See Letter)

Attach a notarized affidavit certifying flash point and, if aerosol, an affidavit certifying that the container conforms to I.C.C. requirements.

Indiana - Yes No; if yes, as poison hazardous product or exemption. Date of registration _____
(See Letter)

Federal Hazardous Substances Act - Yes ☒ No _____

Other, such as Economic Poison Laws.

1. Please attach any independent laboratory test results
2. Please attach four copies of present label


I agreeable with us to have Whirlpool Corporation use the information we have supplied on Form S1R017028 for the purpose of registering products with federal, state or municipal agencies operating poison control centers or with a governmental agency to which product content information must be submitted by requirement of law.

NATURE OF MANUFACTURER Dupli-Color Products

NAME OF BUSINESS A. J. Schumacher
1601 Nicholas Boulevard, Elk Grove Village, Illinois 60007

PRODUCT NAME Touch-up Tubes PART NO. 72097 Pearl Gray
 MANUFACTURER Dupli-Color Products Co. 00854
 MANUFACTURER'S ADDRESS 1601 Nicholas Boulevard
Elk Grove Village, Illinois 60007 PHONE 439-0600

PRODUCT CATEGORY	YES OR NO	Specify exact formula showing percentage of every ingredient by weight. Indicate hazardous ingredients with asterisk (*).
Highly Toxic (poison) <input type="checkbox"/>	<input checked="" type="checkbox"/>	Various organic and inorganic pigments, cellulose nitrate, acrylic resin, benzyl butyl phthalate, toluol*, ethanol*, methyl ethyl ketone*, metayl iso-butyl ketone* and ethylene glycol monoethyl ether acetate*.
Toxic <input checked="" type="checkbox"/>	<input type="checkbox"/>	
Corrosive (poison) <input type="checkbox"/>	<input checked="" type="checkbox"/>	
Irritant <input type="checkbox"/>	<input checked="" type="checkbox"/>	
Strong Sensitizer <input type="checkbox"/>	<input checked="" type="checkbox"/>	
FLASH POINT (TAG OPEN CUP) <u>50</u> °F		
EROSOLS:		
FLASH-BACK? YES <input type="checkbox"/> NO <input type="checkbox"/>		
FLAME PROJECTION <u> </u> INCHES		
DENSITY Approx. <u>400</u> S.U.S.		



ALL NECESSARY WARNING STATEMENTS AND ANTIDOTES REQUIRED ON THE LABEL UNDER THE FEDERAL HAZARDOUS SUBSTANCES ACT:

CAUTION: FLAMMABLE MIXTURE, DO NOT USE NEAR FLAME OR HOT SURFACES. KEEP OUT OF REACH OF CHILDREN. DO NOT TAKE INTERNALLY.

Use in a ventilated area. Avoid prolonged breathing of vapor or repeated contact with skin.

If swallowed, do not induce vomiting. Call a physician immediately.

If splashed in eyes, flush with water. Call a physician immediately.

This product requires special registration and/or label under federal, state or city acts, laws, codes, etc., please specify and remit all pertinent data. U.S. Dept. of Agriculture (Insecticide, Fungicide and Rodenticide Act) - Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> ; if yes, Registration No. <u> </u> Effective Date <u> </u> to <u> </u> N.Y. City Fire Dept. - Yes <input type="checkbox"/> No <input type="checkbox"/> ; if yes, C. of A. No. <u> </u> Date of Registration <u> </u> (See Letter) Attach a notarized affidavit certifying flash point and, if aerosol, an affidavit certifying that the container conforms to I.C.C. requirements. Indiana - Yes <input type="checkbox"/> No <input type="checkbox"/> ; if yes, as poison <u> </u> hazardous product <u> </u> or exemption <u> </u> . Date of registration <u> </u> (See Letter) Federal Hazardous Substances Act - Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Other, such as Economic Poison Laws. 1. Please attach any independent laboratory test results 2. Please attach four copies of present label	Packaging State size of containers <u>1/2 fl. oz.</u> State type of container used (glass bottle, tube, metal can, aerosol, etc.) and type of top or cap <u>metal, non collapsible tube</u> If packed in an aerosol or pressurized container, state the propellant (s) used: <u> </u> ROUTING (This portion to be filled out by Whirlpool) Law Dept. Approval <u> </u> Date <u> </u> Engineering Dept. Approval <u> </u> Date <u> </u>
--	---

I am agreeable with us to have Whirlpool Corporation use the information we have supplied on Form S1R017028 for the purpose of registering products with federal, state or municipal agencies operating poison control centers or with a governmental agency to which product content information must be submitted by requirement of law.

SIGNATURE OF MANUFACTURER A. J. Schumacher Dupli-Color Products
 ADDRESS OF BUSINESS 1601 Nicholas Boulevard, Elk Grove Village, Illinois 60007

PRODUCT NAME Citric White Touch-up MANUFACTURER Dupli-Color PHONE 312/439-0600

MANUFACTURER'S ADDRESS 1601 Nicholas Blvd., Elk Grove Village, IL 60007 **00855**

PRODUCT CATEGORY	YES	or	NO	Specify exact formula showing percentage of every ingredient by weight. Indicate hazardous ingredients with asterisk (*). Titanium Dioxide, Cellulose Nitrate, Acrylic Resin, Butyl Benzyl Phthalate, Toluol*, ethanol*, methyl ethyl Ketone*, cellosolve acetate*
Highly Toxic (poison)	<input type="checkbox"/>		<input checked="" type="checkbox"/>	
Toxic	<input checked="" type="checkbox"/>		<input type="checkbox"/>	
Corrosive (poison)	<input type="checkbox"/>		<input checked="" type="checkbox"/>	
Irritant	<input checked="" type="checkbox"/>		<input type="checkbox"/>	
Strong Sensitizer	<input type="checkbox"/>		<input checked="" type="checkbox"/>	
ASHPOINT (TAG OPEN CUP) <u>50</u> OF				
ROSOLS:				
FLASH-BACK? YES <u>-</u> NO <u>-</u>				
FLAME PROJECTION <u> </u> INCHES				
SCOSITY <u>400</u> S.U.S.				

LIST ALL NECESSARY WARNING STATEMENTS AND ANTIDOTES REQUIRED ON THE LABEL UNDER THE FEDERAL HAZARDOUS SUBSTANCES ACT:

WARNING FLAMMABLE: Keep from heat and Flames. Do not take internally.
Keep out of reach of children. If taken internally do not induce
vomiting. Call a physician.

Does this product require special registration and/or labeling under federal, state or city acts, laws, codes, etc., please specify and remit all pertinent data.

U.S. Dept. of Agriculture (Insecticide, Fungicide and Rodenticide Act)

Yes No ; if yes, Registration No. Not required
Effective Date to

N.Y. City Fire Dept. Yes No ; if yes, C. of A. No. Date of Registration Not required
Attach a notarized affidavit certifying flash point and, if aerosol, an affidavit certifying that the container conforms to I.C.C. requirements.

Indiana - Yes No ; if yes, as poison hazardous product of exemption . Date of registration not required .

1. Federal Hazardous Substances Act - Yes X No

2. Other, such as Economic Poison Laws.

1. Please attach any independent laboratory test results
2. Please attach four copies of present label

Packaging

State size of containers 1/2 fl. oz.

State type of container used (glass bottle, tube, metal can, aerosol, etc.) and type of top or cap

Metal tube

If packed in an aerosol or pressurized container, state the propellant(s) used

ROUTING (This portion to be filled out by Whirlpool)

Law Dept. Approval

Date

Engineering Dept. Approval

Date

It is agreeable with us to have Whirlpool Corporation use the information we have supplied on Form S1R017028 for the purpose of registering products with federal, state, or municipal agencies operating poison control centers or with a governmental agency to which product content information must be submitted by requirement of law.

SIGNATURE OF MANUFACTURER Dupli-Color Inc. A. K. Schumacher April 1952

PLACE OF BUSINESS 1601 Nicholas Blvd., Elk Grove Village, Illinois 60007

PRODUCT NAME White Epoxy Kit # 0433 PART NO. 799832MANUFACTURER Servi-Supply Co. 00857FACTURER'S ADDRESS Hysol Div., Dexter Corp., Olean, NY PHONE _____

PRODUCT CATEGORY YES OR NO Specify exact formula showing percentage of every ingredient by weight. Indicate hazardous ingredients with asterisk (*).

1) Highly Toxic (poison) ☐ ☐

2) Toxic ☐ ☐

3) Corrosive (poison) ☐ ☐

4) Irritant ☐ ☐

5) Strong Sensitizer ☒ ☐

FLASHPOINT (TAG OPEN CUP) 215°F

AEROSOLS:

FLASH-BACK? YES ☐ NO ☐


FLAME PROJECTION ☐ INCHES

ISCOSITY paste S.U.S.

Hardener contains about 20% Diethylene Triamine, a skin sensitizer. Hysol policy limits formulation disclosure to hazardous materials without a secrecy agreement.

LIST ALL NECESSARY WARNING STATEMENTS AND ANTIDOTES REQUIRED ON THE LABEL UNDER THE FEDERAL HAZARDOUS SUBSTANCES ACT:

(See Page 2)



This product requires special registration and/or labeling under federal, state or city acts, laws, codes, etc., please specify and remit all pertinent data.

U.S. Dept. of Agriculture (Insecticide, Fungicide and Rodenticide Act) -

Yes ☐ No ☒; if yes, Registration No. _____

Effective Date _____ to _____

N.Y. City Fire Dept. - Yes ☐ No ☒; if yes, C. of A. No. _____

Date of Registration _____

Attach a notarized affidavit certifying flash point and, if aerosol, an affidavit certifying that the container conforms to I.C.C. requirements.

Indiana - Yes ☐ No ☒; if yes, as poison ☐ hazardous product ☐ or exemption ☐. Date of registration _____

Federal Hazardous Substances Act - Yes ☒ No ☐

Other, such as Economic Poison Laws.

1. Please attach any independent laboratory test results

2. Please attach four copies of present label

Packaging
State size of containers _____

State type of container used (glass bottle, tube, metal can, aerosol, etc.) and type of top or cap

If packed in an aerosol or pressurized container, state the propellant (s) used: _____

ROUTING (This portion to be filled out by Whirlpool)

Law Dept. Approval _____
Date _____

Engineering Dept. Approval _____

Date _____

It is agreeable with us to have Whirlpool Corporation use the information we have supplied on Form SIRO17028 for the purpose of registering products with federal, state or municipal agencies operating poison control centers or with a governmental agency to which product content information must be submitted by requirement of law.

SIGNATURE OF MANUFACTURER James P. Homburg

PLACE OF BUSINESS Hysol Division, Dexter Corp Olean, NY

(Back page copy)

Warning!

Part A (RESIN)

Caution... May Irritate Skin and Eyes

Contains Epoxy Resin

Avoid contact with skin and eyes

First aid: Eyes - immediately flush with
plenty of water.

Skin - Wash with soap and water.

Keep out of the reach of children

Part B (HARDENER)

Warning!

May cause skin sensitization or other
allergic responses.

Causes eye irritation.

Contains diethylene triamine.

Avoid inhalation of vapor.


Use good ventilation.

Prevent contact with skin and eyes.

First aid: Eyes - immediately flush with
plenty of water.

Skin - wash immediately with
soap and water.

Keep out of the reach of children



Date DEC 1, 1972

Wastes Section - Sewer Design Division
 Department of Public Works
 Room 200, Lowry Hotel
 St. Paul, Minnesota 55102

Re: CLEAR WATER DISCHARGE AND FEEDWATER USAGE

Clear Water Discharge from Whirlpool Corporation, St. Paul Division for the period
 of OCT 27, 1972 to DEC 1, 1972.

Reading Date	Bldg. 21 Meter Reading - Gallons	Bldg. 17 Meter Reading - Gallons	Total Discharge
<u>DEC 1, 1972</u>	<u>216,827,000</u>	<u>34,359,400</u>	
<u>OCT 27, 1972</u>	<u>188,938,000</u>	<u>29,683,200</u>	
Discharge	<u>27,889,000</u> Gallons	<u>4,676,200</u> Gallons	<u>32,565,200</u> Gallons

Total Feedwater used at Whirlpool Corporation, St. Paul Division for the period
 of Nov 1, 1972 to Dec 1, 1972.

970,000 Gallons

WHIRLPOOL CORPORATION

by Norm Hval

II. CITY SUPPLY

A) TOTAL CONSUMPTION 3313 CCF

B) TOTAL BOILER FEEDWATER

970,000 GALS ÷ 748 1297 CCF

(DATE: From Nov 1, 1972 to Dec 1, 1972)

C) 95% TOTAL BOILER FEEDWATER 1167 CCF

D) ADJUSTED CONSUMPTION 2146 CCF
(A-C)

E) ADJUSTED CHARGE \$ 476.39

F) ORIGINAL CHARGE \$ 721.04

G) TOTAL CITY SUPPLY REFUND \$ 244.65

III. TOTAL REFUND

A) WELL REFUND (I-G) \$ 7346.88

B) CITY SUPPLY REFUND (II-G) \$ 244.65

\$ 7591.53

SIGNED

Norman Hoal

TITLE

Utility Engineer

DATE

Dec 7, 1972

MATERIAL SAFETY DATA SHEET

Required under USDL Safety and Health Regulations for Ship Repairing,
Shipbuilding, and Shipbreaking (29 CFR 1915, 1916, 1917)

SECTION I

MANUFACTURER'S NAME E. I. du Pont de Nemours & Co., Inc.		EMERGENCY TELEPHONE NO. (302) 774-7500
ADDRESS (Number, Street, City, State, and ZIP Code) DuPont, F&F Wilmington, Delaware 19898		WHIRLPOOL PART #798954
CHEMICAL NAME AND SYNONYMS PAINT	TRADE NAME AND SYNONYMS 860-67382	
CHEMICAL FAMILY N.A.	FORMULA N.A.	

SECTION II - HAZARDOUS INGREDIENTS

PAINTS, PRESERVATIVES, & SOLVENTS	%	TLV (Units)	ALLOYS AND METALLIC COATINGS	%	TLV (Units)
PIGMENTS			BASE METAL		
XXXXXXXX Approx. Aliphatic Ketone	2	1000 PPM	ALLOYS		
XXXXXXXX Aliphatic Ketone	7	200	METALLIC COATINGS		
XXXXXXXX Toluene	29	100	FILLER METAL PLUS COATING OR CORE FLUX		
XXXXXXXX Aliphatic Alcohol	18	400	OTHERS		
XXXXXXXX Aromatic Pet. Dist. **	5	100	Approximate		Mg/M ³
HAZARDOUS MIXTURES OF OTHER LIQUIDS, SOLIDS, OR GASES				%	TLV (Units)
Antimony as metal from pigment on total wt. of paint				0.4	0.5

SECTION III - PHYSICAL DATA

BOILING POINT (°F.)	Approx. Range	131-293	SPECIFIC GRAVITY (H ₂ O=1)	1.003
VAPOR PRESSURE (mm Hg.)	Principal Solvent	36.7	PERCENT, VOLATILE BY VOLUME (%)	74.1
VAPOR DENSITY (AIR=1)	Principal Solvent	3.14	EVAPORATION RATE (— Ether — =1)	Slower than Ether
SOLUBILITY IN WATER	Appreciable			
APPEARANCE AND ODOR	Semi-viscous avocado liquid; strong solvent odor			

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

FLASH POINT (Method used)	Between 20° & 80°F. (T.O.C.)	FLAMMABLE LIMITS	Approximate	Lel	Uel
				1.1	12.8
EXTINGUISHING MEDIA	Foam, Carbon Dioxide, Dry Chemical				
SPECIAL FIRE FIGHTING PROCEDURES	Water from fog nozzles may be used to cool closed containers to prevent pressure build-up when exposed to extreme heat.				
UNUSUAL FIRE AND EXPLOSION HAZARDS	N.A.				

SECTION V - HEALTH HAZARD DATA

THRESHOLD LIMIT VALUE

See Section II ** By analogy to xylene

EFFECTS OF OVEREXPOSURE

Headache, nausea, impairment of reaction time and coordination

EMERGENCY AND FIRST AID PROCEDURES

Inhalation - Move to fresh air to restore breathing.

Skin contact - Wash with soap and water. Remove contaminated clothing.

Eye contact - Flush with water for at least 15 minutes; call a physician

SECTION VI - REACTIVITY DATA

STABILITY

UNSTABLE

CONDITIONS TO AVOID

STABLE

X

N.A.

INCOMPATIBILITY (Materials to avoid)

None reasonably foreseeable

HAZARDOUS DECOMPOSITION PRODUCTS

carbon monoxide, carbon dioxide, smoke & oxides of antimony

HAZARDOUS
POLYMERIZATION

MAY OCCUR

CONDITIONS TO AVOID

WILL NOT OCCUR

X

N.A.

SECTION VII - SPILL OR LEAK PROCEDURES

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED

Avoid prolonged contact with skin and breathing of vapor.

Remove sources of ignition. Remove with inert absorbent and non-sparking tools.

Ventilate area.

WASTE DISPOSAL METHOD

Disposal method must comply with Local, State, and Federal Regulations.

SECTION VIII - SPECIAL PROTECTION INFORMATION

RESPIRATORY PROTECTION (Specify type)

Adequate ventilation; in confined areas use Bureau of Mines approved masks.

VENTILATION

LOCAL EXHAUST

Provide sufficient ventilation to keep

SPECIAL

Remove sources of ignition

MECHANICAL (General)

below given TLV & LEL

OTHER

N.A.

PROTECTIVE GLOVES

Use for prolonged or repeated contact

EYE PROTECTION

Use safety eyewear to prevent splashes

OTHER PROTECTIVE EQUIPMENT

Use appropriate industrial hygiene practices

SECTION IX - SPECIAL PRECAUTIONS

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING

Keep away from heat, sparks, and open flame. Close container after each use.

Do not store above 120°F.

OTHER PRECAUTIONS

Wash thoroughly after handling and before eating or smoking.

Observe Label Precautions. Containers should be grounded when pouring.

GPO 934-110

PAGE (2)

This data and technical information are rendered by the Seller free of charge.

Form OSHA-20

Rev. May 72

While believed to be reliable, they are intended for use by skilled persons at their own risk. Seller assumes no responsibility to Buyer for events resulting or damages incurred from their use.

PRODUCT NAME <u>Paint</u>		PART NO. <u>799340</u>
MANUFACTURER <u>E. I. du Pont de Nemours & Co., Inc.</u>		PHONE <u>(302) 774-7500</u>
MANUFACTURER'S ADDRESS <u>DuPont, F&F Wilmington, Delaware 19898</u>		<u>00863</u>
PRODUCT CATEGORY	YES or NO	Specify exact formula showing percentage of every ingredient by weight. Indicate hazardous ingredients with asterisk (*)
1) Highly Toxic (poison)	<input type="checkbox"/> <input type="checkbox"/>	
2) Toxic	<input type="checkbox"/> <input type="checkbox"/>	
3) Corrosive (poison)	<input type="checkbox"/> <input type="checkbox"/>	
4) Irritant	<input type="checkbox"/> <input type="checkbox"/>	
5) Strong Sensitizer	<input type="checkbox"/> <input type="checkbox"/>	SEE ATTACHED DATA SHEETS
FLASHPOINT (TAG OPEN CUP) _____ OF _____		
AEROSOLS:		
FLASH-BACK? YES _____ NO _____		
FLAME PROJECTION _____ INCHES		
VISCOSITY _____ S.U.S.		

LIST ALL NECESSARY WARNING STATEMENTS AND ANTIDOTES REQUIRED ON THE LABEL UNDER THE FEDERAL HAZARDOUS SUBSTANCES ACT:

<p>If this product requires special registration and/or labeling under federal, state or city acts, laws, codes, etc., please specify and remit all pertinent data.</p> <p>1. U.S. Dept. of Agriculture (Insecticide, Fungicide and Rodenticide Act) Yes _____ No _____; if yes, Registration No. _____ Effective Date _____ to _____</p> <p>2. N.Y. City Fire Dept. Yes _____ No _____; if yes, C. of A. No. _____ Date of Registration _____ Attach a notarized affidavit certifying flash point and, if aerosol, an affidavit certifying that the container conforms to I.C.C. requirements.</p> <p>3. Indiana - Yes _____ No _____; if yes, as poison _____ hazardous product _____ of exemption _____. Date of registration _____</p> <p>4. Federal Hazardous Substances Act - Yes _____ No _____</p> <p>5. Other, such as Economic Poison Laws. 1. Please attach any independent laboratory test results 2. Please attach four copies of present label</p>	<p>Packaging State size of containers _____ State type of container used (glass bottle, tube, metal can, aerosol, etc.) and type of top or cap _____ If packed in an aerosol or pressurized container, state the propellant(s) used _____</p> <p>ROUTING (This portion to be filled out by Whirlpool) Law Dept. Approval _____ Date _____ Engineering Dept. Approval _____ Date _____</p>
--	---

It is agreeable with us to have Whirlpool Corporation use the information we have supplied on form SIRO17028 for the purpose of registering products with federal, state, or municipal agencies; operating poison control centers or with a governmental agency to which product content information must be submitted by requirement of law.

SIGNATURE OF MANUFACTURER _____
PLACE OF BUSINESS _____

MATERIAL SAFETY DATA SHEET

00864

Required under USDL Safety and Health Regulations for Ship Repairing,
Shipbuilding, and Shipbreaking (29 CFR 1915, 1916, 1917)

SECTION I

MANUFACTURER'S NAME F. I. du Pont de Nemours & Co., Inc.		EMERGENCY TELEPHONE NO. (302) 774-7500
ADDRESS (Number, Street, City, State, and ZIP Code) DuPont, F&F Wilmington, Delaware 19898		WHIRLPOOL PART #799 340
CHEMICAL NAME AND SYNONYMS PAINT		TRADE NAME AND SYNONYMS 860-95863
CHEMICAL FAMILY N.A.	FORMULA N.A.	

SECTION II - HAZARDOUS INGREDIENTS

PAINTS, PRESERVATIVES, & SOLVENTS	%	TLV (Units)	ALLOYS AND METALLIC COATINGS	%	TLV (Units)
PIGMENTS			BASE METAL		
CATALYST			ALLOYS		
XXXXXXXX Approx.		PPM	METALLIC COATINGS		
SOLVENTS Toluene	41	100	FILLER METAL PLUS COATING OR CORE FLUX		
XXXXXXXX Aliphatic Alcohol	23	400	OTHERS		
XXXXXXXX Aromatic Pet. Dist. **	6	100	Approximate		
HAZARDOUS MIXTURES OF OTHER LIQUIDS, SOLIDS, OR GASES				%	TLV (Units)

SECTION III - PHYSICAL DATA

BOILING POINT (°F.) Approx. Range	176-293	SPECIFIC GRAVITY (H ₂ O=1)	0.922
VAPOR PRESSURE (mm Hg) Principal Solvent	33.0	PERCENT VOLATILE BY VOLUME (%)	77.6
VAPOR DENSITY (AIR=1) Principal Solvent	2.07	EVAPORATION RATE (— Ether — =1)	Slower than Ether
SOLUBILITY IN WATER	Appreciable		
APPEARANCE AND ODOR Semi-viscous black liquid; strong solvent odor			

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

FLASH POINT (Method used) Between 20° & 80°F. (T.O.C.)	FLAMMABLE LIMITS Approximate	L ₉₁ 1.1	U ₉₁ 12.0
EXTINGUISHING MEDIA Foam, Carbon Dioxide, Dry Chemical			
SPECIAL FIRE FIGHTING PROCEDURES Water from fog nozzles may be used to cool closed containers to prevent pressure build-up when exposed to extreme heat.			
UNUSUAL FIRE AND EXPLOSION HAZARDS N.A.			

DEC 4 1972

SECTION V - HEALTH HAZARD DATA

THRESHOLD LIMIT VALUE

See Section II ** By analogy to xylene

EFFECTS OF OVEREXPOSURE

Headache, nausea, impairment of reaction time and coordination

EMERGENCY AND FIRST AID PROCEDURES

Inhalation - Move to fresh air to restore breathing.

Skin contact - Wash with soap and water. Remove contaminated clothing.

Eye contact - Flush with water for at least 15 minutes; call a physician

SECTION VI - REACTIVITY DATA

STABILITY	UNSTABLE		CONDITIONS TO AVOID
	STABLE	X	N.A.
INCOMPATIBILITY (Materials to avoid) <i>NONE REASONABLY FORESEEABLE</i>			
HAZARDOUS DECOMPOSITION PRODUCTS <i>CARBON MONOXIDE, CARBON DIOXIDE, SMOKE</i>			
HAZARDOUS POLYMERIZATION	MAY OCCUR		CONDITIONS TO AVOID
	WILL NOT OCCUR	X	N.A.

SECTION VII - SPILL OR LEAK PROCEDURES

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED
Avoid prolonged contact with skin and breathing of vapor.
Remove sources of ignition. Remove with inert absorbent and non-sparking tools.
Ventilate area.
WASTE DISPOSAL METHOD
Disposal method must comply with Local, State, and Federal Regulations.

SECTION VIII - SPECIAL PROTECTION INFORMATION

RESPIRATORY PROTECTION (Specify type)		
Adequate ventilation; in confined areas use Bureau of Mines approved masks.		
VENTILATION	LOCAL EXHAUST	SPECIAL
	Provide sufficient ventilation to keep	Remove sources of ignition
	MECHANICAL (General)	OTHER
	below given TLV & LEL	N.A.
PROTECTIVE GLOVES		EYE PROTECTION
Use for prolonged or repeated contact		Use safety eyewear to prevent splashes
OTHER PROTECTIVE EQUIPMENT Use appropriate industrial hygiene practices		

SECTION IX - SPECIAL PRECAUTIONS

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING
Keep away from heat, sparks, and open flame. Close container after each use.
Do not store above 120°F.
OTHER PRECAUTIONS
Wash thoroughly after handling and before eating or smoking.
Observe Label Precautions. Containers should be grounded when pouring.

GPO 934-110

PAGE (2)

This data and technical information are rendered by the Seller free of charge.

Form OSHA-20
Rev. May 72-

While believed to be reliable, they are intended for use by skilled persons at their own risk. Seller assumes no responsibility to Buyer for events resulting or damages incurred from their use.

PRODUCT NAME Paint PART NO. 799342

MANUFACTURER E. I. du Pont de Nemours & Co., Inc. PHONE (302) 774-7500

MANUFACTURER'S ADDRESS DuPont, F&F Wilmington, Delaware 19898 00866

PRODUCT CATEGORY YES or NO Specify exact formula showing percentage of every ingredient by weight. Indicate hazardous ingredients with asterisk (*).

) Highly Toxic (poison) ☐ YES ☐ NO
) Toxic ☐ YES ☐ NO
) Corrosive (poison) ☐ YES ☐ NO
) Irritant ☐ YES ☐ NO
) Strong Sensitizer ☐ YES ☐ NO

SEE ATTACHED DATA SHEETS

FLASHPOINT (TAG OPEN CUP) OF

PERGOLS:

FLASH-BACK? YES NO
FLAME PROJECTION INCHES
VISCOSITY S.U.S.

LIST ALL NECESSARY WARNING STATEMENTS AND ANTIDOTES REQUIRED ON THE LABEL UNDER THE FEDERAL HAZARDOUS SUBSTANCES ACT:

If this product requires special registration and/or labeling under federal, state or city acts, laws, codes, etc., please specify and remit all pertinent data.

U.S. Dept. of Agriculture (Insecticide, Fungicide and Rodenticide Act)
Yes No ; if yes, Registration No.
Effective Date to

N.Y. City Fire Dept. Yes No ; if yes, C. of A. No. Date of Registration
Attach a notarized affidavit certifying flash point and, if aerosol, an affidavit certifying that the container conforms to I.C.C. requirements.

Indiana - Yes No ; if yes, as poison hazardous product of exemption . Date of registration

Federal Hazardous Substances Act - Yes No

Other, such as Economic Poison Laws.

1. Please attach any independent laboratory test results
2. Please attach four copies of present label

Packaging

State size of containers

State type of container used (glass bottle, tube, metal can, aerosol, etc.) and type of top or cap

If packed in an aerosol or pressurized container, state the propellant(s) used

ROUTING (This portion to be filled out by Whirlpool)

Law Dept. Approval

Date

Engineering Dept. Approval

Date

I agree with us to have Whirlpool Corporation use the information we have supplied on form SI0017028 for the purpose of registering products with federal, state, or municipal agencies operating poison control centers or with a governmental agency to which product content information must be submitted by requirement of law.

SIGNATURE OF MANUFACTURER

PLACE OF BUSINESS

MATERIAL SAFETY DATA SHEET

00867

Required under USDL Safety and Health Regulations for Ship Repairing,
Shipbuilding, and Shipbreaking (29 CFR 1915, 1916, 1917)

SECTION I

MANUFACTURER'S NAME E. I. du Pont de Nemours & Co., Inc.		EMERGENCY TELEPHONE NO. (302) 774-7500
ADDRESS (Number, Street, City, State, and ZIP Code) DuPont, F&F Wilmington, Delaware 19898		WHIRLPOOL PART #799344
CHEMICAL NAME AND SYNONYMS PAINT	TRADE NAME AND SYNONYMS 860-60893	
CHEMICAL FAMILY N.A.	FORMULA N.A.	

SECTION II - HAZARDOUS INGREDIENTS

PAINTS, PRESERVATIVES, & SOLVENTS	%	TLV (Units)	ALLOYS AND METALLIC COATINGS	%	TLV (Units)
PIGMENTS			BASE METAL		
CATALYST			ALLOYS		
XXXXXX Approx.		PPM	METALLIC COATINGS		
SOLVENTS Toluene	37	100	FILLER METAL PLUS COATING OR CORE FLUX		
XXXXXX Aliphatic Alcohol	21	400	OTHERS		
XXXXXX Aromatic Pet. Dist.**	3	100	Approximate		
HAZARDOUS MIXTURES OF OTHER LIQUIDS, SOLIDS, OR GASES				%	TLV (Units)

SECTION III - PHYSICAL DATA

BOILING POINT (°F.)	Approx. Range	176-293	SPECIFIC GRAVITY (H ₂ O=1)	1.036
VAPOR PRESSURE (mm Hg)	Principal Solvent	33.0	PERCENT, VOLATILE BY VOLUME (%)	25.2
VAPOR DENSITY (AIR=1)	Principal Solvent	2.07	EVAPORATION RATE (Ether = 1)	Slower than Ether
SOLUBILITY IN WATER	Appreciable			
APPEARANCE AND ODOR	Semi-viscous white liquid; strong solvent odor			

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

FLASH POINT (°F.)	Between 20° & 80° F. (T.O.C.)	FLAMMABLE LIMITS	Lower	Upper
		Approximate	1.1	12.0
EXTINGUISHING MEDIA	Foam, Carbon Dioxide, Dry Chemical			
SPECIAL FIRE FIGHTING PROCEDURES	Water from fog nozzles may be used to cool closed containers to prevent pressure build-up when exposed to extreme heat.			
UNUSUAL FIRE AND EXPLOSION HAZARDS	N.A.			

SECTION V - HEALTH HAZARD DATA

00868

THRESHOLD LIMIT VALUE

See Section II ** By analogy to xylene

EFFECTS OF OVEREXPOSURE

Headache, nausea, impairment of reaction time and coordination

EMERGENCY AND FIRST AID PROCEDURES

Inhalation - Move to fresh air to restore breathing.

Skin contact - Wash with soap and water. Remove contaminated clothing.

Eye contact - Flush with water for at least 15 minutes; call a physician

SECTION VI - REACTIVITY DATA

STABILITY	UNSTABLE		CONDITIONS TO AVOID
	STABLE	X	N.A.
INCOMPATIBILITY (Materials to avoid) <i>NONE REASONABLY FORESEEABLE</i>			
HAZARDOUS DECOMPOSITION PRODUCTS			
HAZARDOUS POLYMERIZATION	MAY OCCUR		CONDITIONS TO AVOID
	WILL NOT OCCUR	X	N.A.

SECTION VII - SPILL OR LEAK PROCEDURES

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED
Avoid prolonged contact with skin and breathing of vapor.
Remove sources of ignition. Remove with inert absorbent and non-sparking tools.
Ventilate area.
WASTE DISPOSAL METHOD
Disposal method must comply with Local, State, and Federal Regulations.

SECTION VIII - SPECIAL PROTECTION INFORMATION

RESPIRATORY PROTECTION (Specify type)			
Adequate ventilation; in confined areas use Bureau of Mines approved masks.			
VENTILATION	LOCAL EXHAUST	Provide sufficient ventilation to keep	SPECIAL
	MECHANICAL (General)	below given TLV & LEL	Remove sources of ignition
			OTHER
			N.A.
PROTECTIVE GLOVES		EYE PROTECTION	
Use for prolonged or repeated contact		Use safety eyewear to prevent splashes	
OTHER PROTECTIVE EQUIPMENT Use appropriate industrial hygiene practices			

SECTION IX - SPECIAL PRECAUTIONS

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING
Keep away from heat, sparks, and open flame. Close container after each use.
Do not store above 120°F.
OTHER PRECAUTIONS
Wash thoroughly after handling and before eating or smoking.
Observe Label Precautions. Containers should be grounded when pouring.

PAGE (2)

GPO 934-110

Form OSHA-20
Rev. May 72

This data and technical information are rendered by the Seller free of charge.

While believed to be reliable, they are intended for use by skilled persons at their own risk. Seller assumes no responsibility to Buyer for events resulting or damages incurred from their use.

PRODUCT NAME	Paint	PART NO.	799350
MANUFACTURER	E. I. du Pont de Nemours & Co., Inc.	PHONE	(302 774-7500
MANUFACTURER'S ADDRESS	DuPont, F&F Wilmington, Delaware 19898		00869

PRODUCT CATEGORY	YES	or	NO	
) Highly Toxic (poison)	<input type="checkbox"/>		<input type="checkbox"/>	Specify exact formula showing percentage of every ingredient by weight. Indicate hazardous ingredients with asterisk (*)
) Toxic	<input type="checkbox"/>		<input type="checkbox"/>	
) Corrosive (poison)	<input type="checkbox"/>		<input type="checkbox"/>	
) Irritant	<input type="checkbox"/>		<input type="checkbox"/>	
) Strong Sensitizer	<input type="checkbox"/>		<input type="checkbox"/>	
FLASHPOINT (TAG OPEN CUP) _____ OF _____				SEE ATTACHED DATA SHEETS
EROSOLS:				
FLASH-BACK? YES _____ NO _____				
FLAME PROJECTION _____ INCHES				
VISCOSITY _____ S.U.S.				

LIST ALL NECESSARY WARNING STATEMENTS AND ANTIDOTES REQUIRED ON THE LABEL UNDER THE FEDERAL HAZARDOUS SUBSTANCES ACT:

<p>If this product requires special registration and/or labeling under federal, state or city acts, laws, codes, etc., please specify and remit all pertinent data.</p> <p>U.S. Dept. of Agriculture (Insecticide, Fungicide and Rodenticide Act) Yes _____ No _____; if yes, Registration No. _____ Effective Date _____ to _____</p> <p>N.Y. City Fire Dept. Yes _____ No _____; if yes, C. of A. No. _____ Date of Registration _____ Attach a notarized affidavit certifying flash point and, if aerosol, an affidavit certifying that the container conforms to I.C.C. requirements.</p> <p>Indiana - Yes _____ No _____; if yes, as poison _____ hazardous product _____ of exemption _____. Date of registration _____</p> <p>Federal Hazardous Substances Act - Yes _____ No _____</p> <p>Other, such as Economic Poison Laws. 1. Please attach any independent laboratory test results 2. Please attach four copies of present label</p>	<p>Packaging State size of containers _____ State type of container used (glass bottle, tube, metal can, aerosol, etc.) and type of top or cap _____</p> <p>If packed in an aerosol or pressurized container, state the propellant(s) used _____</p> <p>ROUTING (This portion to be filled out by Whirlpool) Law Dept. Approval _____ Date _____ Engineering Dept. Approval _____ Date _____</p>
--	--

It is agreeable with us to have Whirlpool Corporation use the information we have supplied on Form S1R017028 for the purpose of registering products with federal, state, or municipal agencies operating poison control centers or with a governmental agency to which product content information must be submitted by requirement of law.

SIGNATURE OF MANUFACTURER _____

PLACE OF BUSINESS _____

MATERIAL SAFETY DATA SHEET

00870

Required under USDL Safety and Health Regulations for Ship Repairing,
Shipbuilding, and Shipbreaking (29 CFR 1915, 1916, 1917)

SECTION I

MANUFACTURER'S NAME E. I. du Pont de Nemours & Co., Inc.		EMERGENCY TELEPHONE NO. (302) 774-7500
ADDRESS (Number, Street, City, State, and ZIP Code) DuPont, F&F Wilmington, Delaware 19898		WHIRLPOOL PART #799 350
CHEMICAL NAME AND SYNONYMS PAINT	TRADE NAME AND SYNONYMS 860-95099	
CHEMICAL FAMILY N.A.	FORMULA N.A.	

SECTION II - HAZARDOUS INGREDIENTS

PAINTS, PRESERVATIVES, & SOLVENTS	%	TLV (Units)	ALLOYS AND METALLIC COATINGS	%	TLV (Units)
PIGMENTS			BASE METAL		
CATALYST			ALLOYS		
XXXXXXXX Approx.		PPM	METALLIC COATINGS		
SOLVENTS Toluene	40	100	FILLER METAL PLUS COATING OR CORE FLUX		
ADDITIVES Aliphatic Alcohol	21	400	OTHERS		
OTHERS Aromatic Pet. Dist.**	2	100	Approximate		Mg/M ³
HAZARDOUS MIXTURES OF OTHER LIQUIDS, SOLIDS, OR GASES				%	TLV (Units)
Copper as metal from pigment on total wt. of paint				.03	0.1

SECTION III - PHYSICAL DATA

BOILING POINT (°F.) Approx. Range	176-293	SPECIFIC GRAVITY (H ₂ O=1)	1.010
VAPOR PRESSURE (mm Hg) Principal Solvent	33.0	PERCENT, VOLATILE BY VOLUME (%)	75.4
VAPOR DENSITY (AIR=1) Principal Solvent	2.07	EVAPORATION RATE (— Ether — = 1) Slower than	Ether
SOLUBILITY IN WATER	Appreciable		
APPEARANCE AND ODOR Semi-viscous blue liquid; strong solvent odor			

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

FLASH POINT (Method used) Between 20° & 80°F. (T.O.C.)	FLAMMABLE LIMITS Approximate	Let 1.1	Uet 12.0
EXTINGUISHING MEDIA Foam, Carbon Dioxide, Dry Chemical			
SPECIAL FIRE FIGHTING PROCEDURES Water from fog nozzles may be used to cool closed containers to prevent pressure build-up when exposed to extreme heat.			
UNUSUAL FIRE AND EXPLOSION HAZARDS N.A.			

PRODUCT NAME Paint PART NO. 799520

MANUFACTURER E. I. du Pont de Nemours & Co., Inc. PHONE (302) 774-7500

MANUFACTURER'S ADDRESS DuPont, F&F Wilmington, Delaware 19898 00872

PRODUCT CATEGORY YES or NO Specify exact formula showing percentage of every ingredient by weight. Indicate hazardous ingredients with asterisk (*)

- 1) Highly Toxic (poison) ☐ YES ☐ NO
- 2) Toxic ☐ YES ☐ NO
- 3) Corrosive (poison) ☐ YES ☐ NO
- 4) Irritant ☐ YES ☐ NO
- 5) Strong Sensitizer ☐ YES ☐ NO

SEE ATTACHED DATA SHEETS

FLASHPOINT (TAG OPEN CUP) OF

AEROSOLS: FLASH-BACK? YES NO

FLAME PROJECTION INCHES

VISCOSITY S.U.S.

LIST ALL NECESSARY WARNING STATEMENTS AND ANTIDOTES REQUIRED ON THE LABEL UNDER THE FEDERAL HAZARDOUS SUBSTANCES ACT:

If this product requires special registration and/or labeling under federal, state or city acts, laws, codes, etc., please specify and remit all pertinent data.

a. U.S. Dept. of Agriculture (Insecticide, Fungicide and Rodenticide Act) Yes No ; if yes, Registration No. Effective Date to

b. N.Y. City Fire Dept. Yes No ; if yes, C. of A. No. Date of Registration Attach a notarized affidavit certifying flash point and, if aerosol, an affidavit certifying that the container conforms to I.C.C. requirements.

c. Indiana - Yes No ; if yes, as poison hazardous product of exemption . Date of registration

d. Federal Hazardous Substances Act - Yes No

e. Other, such as Economic Poison Laws.
1. Please attach any independent laboratory test results
2. Please attach four copies of present label

Packaging
State size of containers
State type of container used (glass bottle, tube, metal can, aerosol, etc.) and type of top or cap

If packed in an aerosol or pressurized container, state the propellant(s) used

ROUTING (This portion to be filled out by Whirlpool)

Law Dept. Approval
Date

Engineering Dept. Approval

Date

It is agreeable with us to have Whirlpool Corporation use the information we have supplied on Form SIK017028 for the purpose of registering products with federal, state, or municipal agencies operating poison control centers or with a governmental agency to which product content information must be submitted by requirement of law.

SIGNATURE OF MANUFACTURER

PLACE OF BUSINESS

SECTION V - HEALTH HAZARD DATA

THRESHOLD LIMIT VALUE

See Section II ** By analogy to xylene

EFFECTS OF OVEREXPOSURE

Headache, nausea, impairment of reaction time and coordination

EMERGENCY AND FIRST AID PROCEDURES

Inhalation - Move to fresh air to restore breathing.

Skin contact - Wash with soap and water. Remove contaminated clothing.

Eye contact - Flush with water for at least 15 minutes; call a physician

SECTION VI - REACTIVITY DATA

STABILITY

UNSTABLE

CONDITIONS TO AVOID

STABLE

X

N.A.

INCOMPATIBILITY (Materials to avoid)

None Remaining Previous

HAZARDOUS DECOMPOSITION PRODUCTS

carbon monoxide, carbon dioxide, smoke and oxides of copper

HAZARDOUS

POLYMERIZATION

MAY OCCUR

CONDITIONS TO AVOID

WILL NOT OCCUR

X

N.A.

SECTION VII - SPILL OR LEAK PROCEDURES

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED

Avoid prolonged contact with skin and breathing of vapor.

Remove sources of ignition. Remove with inert absorbent and non-sparking tools.

Ventilate area.

WASTE DISPOSAL METHOD

Disposal method must comply with Local, State, and Federal Regulations.

SECTION VIII - SPECIAL PROTECTION INFORMATION

RESPIRATORY PROTECTION (Specify type)

Adequate ventilation; in confined areas use Bureau of Mines approved masks.

VENTILATION

LOCAL EXHAUST

Provide sufficient ventilation to keep

SPECIAL

Remove sources of ignition

MECHANICAL (General)

below given TLV & LEL

OTHER

N.A.

PROTECTIVE GLOVES

Use for prolonged or repeated contact

EYE PROTECTION

Use safety eyewear to prevent splashes

OTHER PROTECTIVE EQUIPMENT

Use appropriate industrial hygiene practices

SECTION IX - SPECIAL PRECAUTIONS

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING

Keep away from heat, sparks, and open flame. Close container after each use.

Do not store above 120°F.

OTHER PRECAUTIONS

Wash thoroughly after handling and before eating or smoking.

Observe Label Precautions. Containers should be grounded when pouring.

PAGE (2)

GPO 934-110

Form OSHA-20

Rev. May 72

This data and technical information are rendered by the Seller free of charge.

While believed to be reliable, they are intended for use by skilled persons at their own risk. Seller assumes no responsibility to Buyer for events resulting or damages incurred from their use.

MATERIAL SAFETY DATA SHEET

00873

Required under USDL Safety and Health Regulations for Ship Repairing,
Shipbuilding, and Shipbreaking (29 CFR 1915, 1916, 1917)

SECTION I

MANUFACTURER'S NAME E. I. du Pont de Nemours & Co., Inc.		EMERGENCY TELEPHONE NO. (302) 774-7500
ADDRESS (Number, Street, City, State, and ZIP Code) DuPont, E&F Wilmington, Delaware 19898		WHIRLPOOL PART #799520
CHEMICAL NAME AND SYNONYMS PAINT	TRADE NAME AND SYNONYMS 860-78568	
CHEMICAL FAMILY N.A.	FORMULA N.A.	

SECTION II - HAZARDOUS INGREDIENTS

PAINTS, PRESERVATIVES, & SOLVENTS	%	TLV (Units)	ALLOYS AND METALLIC COATINGS	%	TLV (Units)
PIGMENTS			BASE METAL		
XXXXXXXX Approx.		PPM	ALLOYS		
XXXXXXXX Aliphatic Ketone	3	1000	METALLIC COATINGS		
XXXXXXXX Toluene	36	100	FILLER METAL PLUS COATING OR CORE FLUX		
XXXXXXXX Aliphatic Alcohol	15	400	OTHERS		
XXXXXX Aromatic Pet. Dist. **	6	100	Approximate		Mg/M
HAZARDOUS MIXTURES OF OTHER LIQUIDS, SOLIDS, OR GASES				%	TLV (Units)
Antimony as metal from pigment on total wt. of paint				0.7	0.5

SECTION III - PHYSICAL DATA

BOILING POINT (°F.)	Approx. Range	131-293	SPECIFIC GRAVITY (H ₂ O=1)	1.047
VAPOR PRESSURE (mm. Hg.)	Principal Solvent	36.7	PERCENT VOLATILE BY VOLUME (%)	74.2
VAPOR DENSITY (AIR=1)	Principal Solvent	3.14	EVAPORATION RATE (— Ether — = 1)	Slower than Ether
SOLUBILITY IN WATER	Appreciable			
APPEARANCE AND ODOR	Semi-viscous pigmented liquid; strong solvent odor			

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

FLASH POINT (Method used)	Between 20° & 80°F. (T.O.C.)	FLAMMABLE LIMITS	Approximate	Lel	Uel
EXTINGUISHING MEDIA	Foam, Carbon Dioxide, Dry Chemical				
SPECIAL FIRE FIGHTING PROCEDURES	Water from fog nozzles may be used to cool closed containers to prevent pressure build-up when exposed to extreme heat.				
UNUSUAL FIRE AND EXPLOSION HAZARDS	N.A.				

SECTION V - HEALTH HAZARD DATA

THRESHOLD LIMIT VALUE	See Section II ** By analogy to xylene
EFFECTS OF OVEREXPOSURE	Headache, nausea, impairment of reaction time and coordination
EMERGENCY AND FIRST AID PROCEDURES	Inhalation - Move to fresh air to restore breathing.
	Skin contact - Wash with soap and water. Remove contaminated clothing.
	Eye contact - Flush with water for at least 15 minutes; call a physician

SECTION VI - REACTIVITY DATA

STABILITY	UNSTABLE		CONDITIONS TO AVOID
	STABLE	X	N.A.
INCOMPATIBILITY (Materials to avoid)	NONE RESEMBLING FORM SEENABLE		
HAZARDOUS DECOMPOSITION PRODUCTS	carbon monoxide, carbon dioxide, smoke and oxides of antimony		
HAZARDOUS POLYMERIZATION	MAY OCCUR		CONDITIONS TO AVOID
	WILL NOT OCCUR	X	N.A.

SECTION VII - SPILL OR LEAK PROCEDURES

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED	Avoid prolonged contact with skin and breathing of vapor.
	Remove sources of ignition. Remove with inert absorbent and non-sparking tools.
	Ventilate area.
WASTE DISPOSAL METHOD	Disposal method must comply with Local, State, and Federal Regulations.

SECTION VIII - SPECIAL PROTECTION INFORMATION

RESPIRATORY PROTECTION (Specify type)	Adequate ventilation; in confined areas use Bureau of Mines approved masks.	
VENTILATION	LOCAL EXHAUST Provide sufficient ventilation to keep below given TLV & LEL	SPECIAL Remove sources of ignition OTHER N.A.
PROTECTIVE GLOVES	Use for prolonged or repeated contact	EYE PROTECTION Use safety eyewear to prevent splashes
OTHER PROTECTIVE EQUIPMENT	Use appropriate industrial hygiene practices	

SECTION IX - SPECIAL PRECAUTIONS

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING	Keep away from heat, sparks, and open flame. Close container after each use.
	Do not store above 120°F.
OTHER PRECAUTIONS	Wash thoroughly after handling and before eating or smoking.
	Observe Label Precautions. Containers should be grounded when pouring.

PRODUCT NAME Paint PART NO. 799839
MANUFACTURER E. I. du Pont de Nemours & Co., Inc. PHONE (302) 774-7500
MANUFACTURER'S ADDRESS DuPont, F&F Wilmington, Delaware 19898 00875

PRODUCT CATEGORY YES or NO Specify exact formula showing percentage of every ingredie
1) Highly Toxic (poison) ☐ ☐ by weight. Indicate hazardous ingredients with asterisk (*)
2) Toxic ☐ ☐
3) Corrosive (poison) ☐ ☐
4) Irritant ☐ ☐ SEE ATTACHED DATA SHEETS
5) Strong Sensitizer ☐ ☐
FLASHPOINT (TAG OPEN CUP) OF
AEROSOLS:
FLASH-BACK? YES NO
FLAME PROJECTION INCHES
VISCOSITY S.U.S.

LIST ALL NECESSARY WARNING STATEMENTS AND ANTIDOTES REQUIRED ON THE LABEL UNDER THE FEDERAL
HAZARDOUS SUBSTANCES ACT:

<p>If this product requires special registration and/or label- ; under federal, state or city acts, laws, codes, etc., please specify and remit all pertinent data.</p> <p>a. U.S. Dept. of Agriculture (Insecticide, Fungicide and Rodenticide Act) Yes <u> </u> No <u> </u>; if yes, Registration No. <u> </u> Effective Date <u> </u> to <u> </u></p> <p>b. N.Y. City Fire Dept. Yes <u> </u> No <u> </u>; if yes, C. of A. No. <u> </u> Date of Registration <u> </u> Attach a notarized affidavit certifying flash point and, if aerosol, an affidavit certifying that the container conforms to I.C.C. requirements.</p> <p>c. Indiana - Yes <u> </u> No <u> </u>; if yes, as poison <u> </u> hazardous product <u> </u> of exemption <u> </u>. Date of registration <u> </u></p> <p>d. Federal Hazardous Substances Act - Yes <u> </u> No <u> </u></p> <p>e. Other, such as Economic Poison Laws. 1. Please attach any independent laboratory test results 2. Please attach four copies of present label</p>	<p>Packaging State size of containers <u> </u> State type of container used (glas bottle, tube, metal can, aerosol, etc.) and type of top or cap <u> </u> If packed in an aerosol or pressur- ized container, state the propel- lant(s) used <u> </u></p> <p>ROUTING (This portion to be filled out by Whirlpool) Law Dept. Approval <u> </u> Date <u> </u> Engineering Dept. Approval <u> </u> Date <u> </u></p>
--	--

It is agreeable with us to have Whirlpool Corporation use the information we have supplied on
Form S1R017028 for the purpose of registering products with federal, state, or municipal agen-
cies operating poison control centers or with a governmental agency to which product content
information must be submitted by requirement of law.

SIGNATURE OF MANUFACTURER
PLACE OF BUSINESS

MATERIAL SAFETY DATA SHEET

Required under USDL Safety and Health Regulations for Ship Repairing,
Shipbuilding, and Shipbreaking (29 CFR 1915, 1916, 1917)

SECTION I

MANUFACTURER'S NAME E. I. du Pont de Nemours & Co., Inc.		EMERGENCY TELEPHONE NO. (302) 774-7500
ADDRESS (Number, Street, City, State, and ZIP Code) DuPont, F&F Wilmington, Delaware 19898		WHIRLPOOL PART #799839
CHEMICAL NAME AND SYNONYMS PAINT		TRADE NAME AND SYNONYMS 860-12301
CHEMICAL FAMILY N.A.	FORMULA N.A.	

SECTION II - HAZARDOUS INGREDIENTS

PAINTS, PRESERVATIVES, & SOLVENTS	%	TLV (Units)	ALLOYS AND METALLIC COATINGS	%	TLV (Units)
PIGMENTS			BASE METAL		
CATALYST			ALLOYS		
XXXXXXXX Approx.		PPM	METALLIC COATINGS		
SOLVENTS Toluene	41	100	FILLER METAL PLUS COATING OR CORE FLUX		
XXXXXXXXXX Aliphatic Alcohol	20	400	OTHERS		
XXXXXXX Aromatic Pet. Dist.**	1	100	Approximate		
HAZARDOUS MIXTURES OF OTHER LIQUIDS, SOLIDS, OR GASES				%	TLV (Units)

SECTION III - PHYSICAL DATA

BOILING POINT (°F.) Approx. Range	176-293	SPECIFIC GRAVITY (H ₂ O=1)	1.021
VAPOR PRESSURE (mm Hg) Principal Solvent	33.0	PERCENT. VOLATILE BY VOLUME (%)	75.9
VAPOR DENSITY (AIR=1) Principal Solvent	2.07	EVAPORATION RATE (— Ether — = 1)	Slower than Ether
SOLUBILITY IN WATER	Appreciable		
APPEARANCE AND ODOR Semi-viscous tan liquid; strong solvent odor			

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

FLASH POINT (Method used) Between 20° & 80° (T.O.C.)	FLAMMABLE LIMITS Approximate	1.1	12.8
EXTINGUISHING MEDIA Foam, Carbon Dioxide, Dry Chemical			
SPECIAL FIRE FIGHTING PROCEDURES Water from fog nozzles may be used to cool closed containers to prevent pressure build-up when exposed to extreme heat.			
UNUSUAL FIRE AND EXPLOSION HAZARDS N.A.			

00877

SECTION V - HEALTH HAZARD DATA

THRESHOLD LIMIT VALUE

See Section II ** By analogy to xylene

EFFECTS OF OVEREXPOSURE

Headache, nausea, impairment of reaction time and coordination

EMERGENCY AND FIRST AID PROCEDURES

Inhalation - Move to fresh air to restore breathing.

Skin contact - Wash with soap and water. Remove contaminated clothing.

Eye contact - Flush with water for at least 15 minutes; call a physician

SECTION VI - REACTIVITY DATA

STABILITY

UNSTABLE

CONDITIONS TO AVOID

STABLE

X

N.A.

INCOMPATIBILITY (Materials to avoid)

NONE REASONABLY FORESEEABLE

HAZARDOUS DECOMPOSITION PRODUCTS

CARBON MONOXIDE, CARBON DIOXIDE, SMOKE

HAZARDOUS
POLYMERIZATION

MAY OCCUR

CONDITIONS TO AVOID

WILL NOT OCCUR

X

N.A.

SECTION VII - SPILL OR LEAK PROCEDURES

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED

Avoid prolonged contact with skin and breathing of vapor.

Remove sources of ignition. Remove with inert absorbent and non-sparking tools.

Ventilate area.

WASTE DISPOSAL METHOD

Disposal method must comply with Local, State, and Federal Regulations.

SECTION VIII - SPECIAL PROTECTION INFORMATION

RESPIRATORY PROTECTION (Specify type)

Adequate ventilation; in confined areas use Bureau of Mines approved masks.

VENTILATION

LOCAL EXHAUST

Provide sufficient ventilation to keep

SPECIAL

Remove sources of ignition

MECHANICAL (General)

below given TLV & LEL

OTHER

N.A.

PROTECTIVE GLOVES

Use for prolonged or repeated contact

EYE PROTECTION

Use safety eyewear to prevent splashes

OTHER PROTECTIVE EQUIPMENT

Use appropriate industrial hygiene practices

SECTION IX - SPECIAL PRECAUTIONS

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING

Keep away from heat, sparks, and open flame. Close container after each use.

Do not store above 120°F.

OTHER PRECAUTIONS

Wash thoroughly after handling and before eating or smoking.

Observe Label Precautions. Containers should be grounded when pouring.

GPO 934-110

PAGE (2)

This data and technical information are rendered by the Seller free of charge.

Form OSHA-20

Rev. May 72

While believed to be reliable, they are intended for use by skilled persons at their own risk. Seller assumes no responsibility to Buyer for events resulting or damages incurred from their use.

MATERIAL SAFETY DATA SHEET

00878

Required under USDL Safety and Health Regulations for Ship Repairing,
Shipbuilding, and Shipbreaking (29 CFR 1915, 1916, 1917)

SECTION I

MANUFACTURER'S NAME E. I. du Pont de Nemours & Co., Inc.		EMERGENCY TELEPHONE NO. (302) 774-7500
ADDRESS (Number, Street, City, State, and ZIP Code) DuPont, E&F Wilmington, Delaware 19898		WHIRLPOOL PART #799342
CHEMICAL NAME AND SYNONYMS PAINT		TRADE NAME AND SYNONYMS 860-27694
CHEMICAL FAMILY N.A.	FORMULA N.A.	

SECTION II - HAZARDOUS INGREDIENTS

PAINTS, PRESERVATIVES, & SOLVENTS	%	TLV (Units)	ALLOYS AND METALLIC COATINGS	%	TLV (Units)
XXXXXXXX Approx.		PPM	BASE METAL		
XXXXXXXX Aliphatic Ketone	1	1000	ALLOYS		
XXXXXX Aliphatic Ketone	13	200	METALLIC COATINGS		
XXXXXX Toluene	29	100	FILLER METAL PLUS COATING OR CORE FLUX		
XXXXXXXXXX Aliphatic Alcohol	20	400	OTHERS		
XXXXXX Aromatic Pet. Dist.**	1		Approximate		
HAZARDOUS MIXTURES OF OTHER LIQUIDS, SOLIDS, OR GASES				%	TLV (Units)

SECTION III - PHYSICAL DATA

BOILING POINT (°F.) Approx. Range	131-293	SPECIFIC GRAVITY (H ₂ O=1)	0.961
VAPOR PRESSURE (mm Hg) Principal Solvent	36.7	PERCENT VOLATILE BY VOLUME (%)	76.9
VAPOR DENSITY (AIR=1) Principal Solvent	3.14	EVAPORATION RATE (Ether=1)	Slower than Ether
SOLUBILITY IN WATER	Appreciable		
APPEARANCE AND ODOR	Semi-viscous brown liquid; strong solvent odor		

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

FLASH POINT (Method used) Between 20° & 80°F. (T.O.C.)	FLAMMABLE LIMITS Approximate	Lel	Uel
		1.1	12.8
EXTINGUISHING MEDIA Foam, Carbon Dioxide, Dry Chemical			
SPECIAL FIRE FIGHTING PROCEDURES Water from fog nozzles may be used to cool closed containers to prevent pressure build-up when exposed to extreme heat.			
UNUSUAL FIRE AND EXPLOSION HAZARDS N.A.			

DEC 4 1972

SECTION V - HEALTH HAZARD DATA

THRESHOLD LIMIT VALUE

See Section II ** By analogy to xylene

EFFECTS OF OVEREXPOSURE

Headache, nausea, impairment of reaction time and coordination

EMERGENCY AND FIRST AID PROCEDURES

Inhalation - Move to fresh air to restore breathing.

Skin contact - Wash with soap and water. Remove contaminated clothing.

Eye contact - Flush with water for at least 15 minutes; call a physician

SECTION VI - REACTIVITY DATA

STABILITY

UNSTABLE

CONDITIONS TO AVOID

STABLE

X

N.A.

INCOMPATIBILITY (Materials to avoid)

NONE REASONABLY FORESEEABLE

HAZARDOUS DECOMPOSITION PRODUCTS

CARBON MONOXIDE, CYANIDE, SMOKE

HAZARDOUS
POLYMERIZATION

MAY OCCUR

CONDITIONS TO AVOID

WILL NOT OCCUR

X

N.A.

SECTION VII - SPILL OR LEAK PROCEDURES

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED

Avoid prolonged contact with skin and breathing of vapor.

Remove sources of ignition. Remove with inert absorbent and non-sparking tools.

Ventilate area.

WASTE DISPOSAL METHOD

Disposal method must comply with Local, State, and Federal Regulations.

SECTION VIII - SPECIAL PROTECTION INFORMATION

RESPIRATORY PROTECTION (Specify type)

Adequate ventilation; in confined areas use Bureau of Mines approved masks.

VENTILATION

LOCAL EXHAUST

Provide sufficient ventilation to keep

SPECIAL

Remove sources of ignition

MECHANICAL (General)

OTHER

below given TLV & LEL

N.A.

PROTECTIVE GLOVES

Use for prolonged or repeated contact

EYE PROTECTION

Use safety eyewear to prevent splashes

OTHER PROTECTIVE EQUIPMENT

Use appropriate industrial hygiene practices

SECTION IX - SPECIAL PRECAUTIONS

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING

Keep away from heat, sparks, and open flame. Close container after each use.

Do not store above 120°F.

OTHER PRECAUTIONS

Wash thoroughly after handling and before eating or smoking.

Observe Label Precautions. Containers should be grounded when pouring.

GPO 934-110

PAGE (2)

This data and technical information are rendered by the Seller free of charge.

Form OSHA-20

Rev. May 72

While believed to be reliable, they are intended for use by skilled persons at their own risk. Seller assumes no responsibility to Buyer for events resulting or damages incurred from their use.

PRODUCT NAME Paint PART NO. 799344

MANUFACTURER E. I. du Pont de Nemours & Co., Inc. PHONE (302)774-7500

MANUFACTURER'S ADDRESS DuPont, F&F Wilmington, Delaware 19898 00880

DUCT CATEGORY	YES	or	NO	Specify exact formula showing percentage of every ingredient by weight. Indicate hazardous ingredients with asterisk (*).
1) Highly Toxic (poison)	<input type="checkbox"/>		<input type="checkbox"/>	
2) Toxic	<input type="checkbox"/>		<input type="checkbox"/>	
3) Corrosive (poison)	<input type="checkbox"/>		<input type="checkbox"/>	
4) Irritant	<input type="checkbox"/>		<input type="checkbox"/>	
5) Strong Sensitizer	<input type="checkbox"/>		<input type="checkbox"/>	SEE ATTACHED DATA SHEETS

FLASHPOINT (TAG OPEN CUP) OF

AEROSOLS:

FLASH-BACK? YES NO

FLAME PROJECTION INCHES

VISCOSITY S.U.S.

LIST ALL NECESSARY WARNING STATEMENTS AND ANTIDOTES REQUIRED ON THE LABEL UNDER THE FEDERAL HAZARDOUS SUBSTANCES ACT:

<p>If this product requires special registration and/or labeling under federal, state or city acts, laws, codes, etc., please specify and remit all pertinent data.</p> <p>U.S. Dept. of Agriculture (Insecticide, Fungicide and Rodenticide Act) Yes <u> </u> No <u> </u>; if yes, Registration No. <u> </u> Effective Date <u> </u> to <u> </u></p> <p>N.Y. City Fire Dept. Yes <u> </u> No <u> </u>; if yes, C. of A. No. <u> </u> Date of Registration <u> </u> Attach a notarized affidavit certifying flash point and, if aerosol, an affidavit certifying that the container conforms to I.C.C. requirements.</p> <p>Indiana - Yes <u> </u> No <u> </u>; if yes, as poison <u> </u> hazardous product <u> </u> of exemption <u> </u>. Date of registration <u> </u></p> <p>Federal Hazardous Substances Act - Yes <u> </u> No <u> </u></p> <p>Other, such as Economic Poison Laws. 1. Please attach any independent laboratory test results 2. Please attach four copies of present label</p>	<p>Packaging State size of containers <u> </u> State type of container used (glass bottle, tube, metal can, aerosol, etc.) and type of top or cap <u> </u> If packed in an aerosol or pressurized container, state the propellant(s) used <u> </u></p> <p>ROUTING (This portion to be filled out by Whirlpool) Law Dept. Approval <u> </u> Date <u> </u> Engineering Dept. Approval <u> </u> Date <u> </u></p>
---	---

It is agreeable with us to have Whirlpool Corporation use the information we have supplied on form S1R017028 for the purpose of registering products with federal, state, or municipal agencies operating poison control centers or with a governmental agency to which product content information must be submitted by requirement of law.

SIGNATURE OF MANUFACTURER

PLACE OF BUSINESS



CITY OF SAINT PAUL

Capital of Minnesota

DEPARTMENT OF PUBLIC WORKS

234 City Hall & Court House 55102

DANIEL J. DUNFORD
Acting Director of Public Works

December 11, 1972

Mr. Norman Hval
Whirlpool Corporation
850 Arcade Street
St. Paul, Minnesota 55106

Dear Mr. Hval:

Enclosed is Whirlpool's corrected application form for sewer charge refund for November, 1972. This will be processed for \$6,980.07.

If you have any questions, please call Mr. Wm. Tschida at 223-5421.

Yours very truly,

298

Henry W. Jackson
Henry W. Jackson
Civil Engineer III

HWJ/WLT/bp

cc: Ed Hartung
Whirlpool Corp.

APPLICATION FORM FOR PARTIAL REFUND OF SEWER SERVICE CHANGE

MONTH OF NOVEMBER 19 72BILLING DATE 11-21-72

Well 323
6" Sparling 16377
852 Arcade St.

Well 484
8" Sparling 37997
837 Arcade St.

City Supply
4" HER. C. 3032084
838 Arcade St.

I. WELLS

A) TOTAL CONSUMPTION

Well 323 Consumption 20,291
+ Well 484 Consumption 31,060 52,351 CCF

B) TOTAL CLEARWATER

Bldg. 17 Clearwater 4,676,200
+ Bldg. 21 Clearwater 27,884,000
32,560,200 GALS ÷ 748 43,537 CCF

(DATE: From OCT 27, 1972 to DEC 1, 1972)

C) SANITARY SEWAGE FACTOR

$\frac{A-B}{A}$ = Factor

$\frac{52,351 - 43,537}{52,351} = \frac{8,814}{52,351} = \dots = \frac{10,709}{52,351}$
0.16836

D) ADJUSTED CONSUMPTION

(Well 323 Consumption) X (C) 3416 CCF
(Well 484 Consumption) X (C) 5229 CCF

E) ADJUSTED CHARGE

Well 323 182.20 741.12
+ Well 484 722.87 1090.08
\$ 1205.77 1831.20

F) ORIGINAL CHARGE

Well 323 3468.65
+ Well 484 5084.00
\$ 8552.65

G) TOTAL WELL REFUND \$ 7716.98
(F-E)

\$ 6721.95

II. CITY SUPPLY

A) TOTAL CONSUMPTION 3313 CCF

B) TOTAL BOILER FEEDWATER

970,000 GALS ÷ 748 1297 CCF

(DATE: From Nov 1, 1972 to Dec 1, 1972) 1232

C) 95% TOTAL BOILER FEEDWATER ~~1167~~ CCF

D) ADJUSTED CONSUMPTION ~~2446~~ CCF
(A-C) 2081

E) ADJUSTED CHARGE 962.42 \$ ~~976.39~~

F) ORIGINAL CHARGE \$ 721.04

G) TOTAL CITY SUPPLY REFUND \$258.62 \$ ~~244.65~~

III. TOTAL REFUND

A) WELL REFUND (I-G) \$ 6721.45
~~7346.54~~

B) CITY SUPPLY REFUND (II-G) \$ 258.62
~~244.65~~

\$7571.55

\$ 6980.07

SIGNED

Norman Hval

TITLE

Utility Engineer

DATE

Dec 7, 1972

File Ramsey Co.
66.

00884

ARDEN HILLS OPERA S

4201 NORTH LEXINGTON AVENUE, ST. PAUL, MINNESOTA 55112 / 612-6

Ramsey City
files: 1A

CONTROL DATA
CORPORATION

December 14, 1972

Minnesota Pollution Control Agency
717 Delaware Street S.E.
Minneapolis, Minnesota 55440

Attention: J. C. Lichter, Engineer
Section of Enforcement
Division of Solid Waste

RECEIVED
DEC 15 1972
MINN. POLLUTION
CONTROL AGENCY

Dear Sir:

Per your request dated December 7, 1972, we wish to inform you that Gallagher's Service, Inc. of Minneapolis has been transporting wastes from the Arden Hills facility of Control Data Corporation since 1963.


Attached is a recent memo from Gallagher's indicating details of waste disposal:

1. "All bulky dry waste is dumped at the Hendasran Transfer Station at 7151 Central Avenue N.E., then transported to the landfill at East Bethel, also approved by P.C.A."
2. "All toxic materials each month are dumped at the P.C.A. approved landfill, Waste Disposal Engineering, 14435 Crosstown Blvd, Anoka. This landfill has a P.C.A. permit to dispose of toxic materials."

Toxic liquids are transferred in 55 gallon drums. Gallagher's Service does, at times, supply us with drums for toxic waste accumulations.

At this time, it is our intention to continue this service with Gallagher's Service, Inc. If you have any further questions regarding waste disposal at this facility, please call me.

Yours truly,



David J. Tregilgas, Manager
Facilities and Services
Telephone: 631-0531 Ext. 2473

/tab

Enclosure

cc: R. A. Friedrichs
E. B. Sweet

Letter to Gallagher
12-21-72

Gallagher's Service, Inc.

8566 JEFFERSON ST. N. E.
MINNEAPOLIS, MINN. 55433
Phone 784-4709

December 11, 1972

Control Data Corp.
4201 Lexington Ave.
St. Paul, Minn.

Chris, Nelson:

Regarding disposal of waste materials from Control
Data.

All bulky dry waste is dumped at the Henderson
Transfer Station at 9151 Central Ave. N. E., then
transported to the land fill at East Bethel, also
approved by P. C. A.

All toxic materials each month are dumped at the P. C. A.
approved land fill, Waste Disposal Engineering, 14435
Crosstown Ev, Anoka. This land fill has a P. C. A.
permit to dispose of toxic materials.

Gallagher's Service, Inc.
9151 Central Ave. N. E.

Richard Gallagher

APPLICATION FORM FOR PARTIAL REFUND OF SEWER SERVICE CHANGE

00886

MONTH OF DECEMBER 19 72BILLING DATE DEC 21, 1972

Well 323
6" Sparling 16377
852 Arcade St.

Well 484
8" Sparling 37997
837 Arcade St.

City Supply
4" HER. C. 3032084
838 Arcade St.

I. WELLS

A) TOTAL CONSUMPTION

Well 323 Consumption 15,666
+ Well 484 Consumption 28,959 44,625 CCF

B) TOTAL CLEARWATER

Bldg. 17 Clearwater 4,540,200
+ Bldg. 21 Clearwater 26,579,000
31,119,200 GALS ÷ 748 41,603 CCF

(DATE: From DEC 1, 1972 to DEC 29, 1972)

C) SANITARY SEWAGE FACTOR

$\frac{A-B}{A}$ = Factor

$\frac{44,625 - 41,603}{44,625} = \frac{3022}{44,625} = \dots \dots \dots$.0677

D) ADJUSTED CONSUMPTION

(Well 323 Consumption) X (C) 1061 CCF

(Well 484 Consumption) X (C) 1961 CCF

E) ADJUSTED CHARGE

Well 323 243.12
+ Well 484 436.56
\$ \$ 679.68

F) ORIGINAL CHARGE

Well 323 2774.90
+ Well 484 4768.85
\$ \$ 7543.75

G) TOTAL WELL REFUND \$ 6864.07
(F-E)

II. CITY SUPPLY

A) TOTAL CONSUMPTION	<u>3893</u>	CCF
B) TOTAL BOILER FEEDWATER		
GALS ÷ 748	<u>1501</u>	CCF
(DATE: From <u>Dec 1 1972</u> to <u>Jan 1 1973</u>)		
C) 95% TOTAL BOILER FEEDWATER	<u>1426</u>	CCF
D) ADJUSTED CONSUMPTION	<u>2467</u>	CCF
(A-C)		
E) ADJUSTED CHARGE	\$ <u>536.07</u>	
F) ORIGINAL CHARGE	\$ <u>834.14</u>	
G) TOTAL CITY SUPPLY REFUND	\$ <u>298.07</u>	

III. TOTAL REFUND

A) WELL REFUND (I-G)	\$ <u>6864.07</u>
B) CITY SUPPLY REFUND (II-G)	\$ <u>298.07</u>
	\$ <u>7162.14</u>

SIGNED Norman Hual

TITLE Utility Engineer

DATE Jan 5 1973

Date _____

Wastes Section - Sewer Design Division
 Department of Public Works
 Room 200, Lowry Hotel
 St. Paul, Minnesota 55102

Re: CLEAR WATER DISCHARGE AND FEEDWATER USAGE

Clear Water Discharge from Whirlpool Corporation, St. Paul Division for the period
 of Dec 1, 1972 to Dec 29, 1972.

Reading Date	Bldg. 21 Meter Reading - Gallons	Bldg. 17 Meter Reading - Gallons	Total Discharge
<u>Dec 29, 1972</u>	<u>2412 100.00</u>	<u>39,199.600</u>	
<u>Dec 1, 1972</u>	<u>211 829.00</u>	<u>34 359 400</u>	
Discharge	<u>212,290.00 Gallons</u>	<u>43,107.00 Gallons</u>	<u>255,397.00 Gallons</u>

Total Feedwater used at Whirlpool Corporation, St. Paul Division for the period
 of Dec 1, 1972 to Jan 1, 1973.

1,122,000 Gallons

WHIRLPOOL CORPORATION

by W. H. H. H. H.


Whirlpool
CORPORATION

St. Paul Division

 P. O. BOX 3380 • 850 ARCADE STREET
 ST. PAUL, MINNESOTA 55165

January 17, 1973

 Minnesota Pollution Control Agency
 717 Delaware Street S.E.
 Minneapolis, Minnesota 55440

 Attention: Gary A. Pulford
 Section of Enforcement
 Division of Solid Waste

Dear Sir:

Please be advised that we presently have a waste removal contract with Red Arrow Waste Disposal Company, of 41 E. Chicago Avenue, St. Paul, Minnesota, through June 30, 1973, for the removal of all waste materials from our facilities. This contract includes the disposing of paint sludges, hydrocarbon solvents, oils and greases, and synthetic adhesives.

As of the date of your letter, we have directed that all of the above mentioned materials must be delivered to Pollution Controls Inc. at Shakopee, Minnesota, for disposal. Previous to this date, the materials were placed in 55 gallon steel drums and were disposed of unknowingly to us in a sanitary landfill operation operated by Red Arrow at or near White Bear Lake, Minnesota.

Estimated quantities of the materials that must be disposed of in a M.P.C.A. approved manner are as follows:


1. Hydrocarbon Solvents & Reducers	200 Gallons per month
2. Paint Solids (both wet & dry)	800 " " "
3. Oils & Greases	2,000 " " "
4. Synthetic Adhesives	50 " " "

Should you require further data regarding the physical properties of our waste materials or require information, please contact me, as we desire to fully cooperate with the agency in all matters.

Yours truly,

 E. W. Hartung
 Facilities Engineer
 WHIRLPOOL CORPORATION

 cc: D. Casey
 A. Holland
 B. McEvoy
 T. Goodgame - Benton Harbor
 P. McGrath - Pollution Controls Inc.
 R. Krawczewski - Red Arrow



Whirlpool
A CORPORATION

St. Paul Division

P. O. BOX 3380 • 850 ARCADE STREET
ST. PAUL, MINNESOTA 55165

January 17, 1973

Minnesota Pollution Control Agency
717 Delaware Street S.E.
Minneapolis, Minnesota 55440

Attention: Gary A. Pulford
Section of Enforcement
Division of Solid Waste

Dear Sir:

Please be advised that we presently have a waste removal contract with Red Arrow Waste Disposal Company, of 41 E. Chicago Avenue, St. Paul, Minnesota, through June 30, 1973, for the removal of all waste materials from our facilities. This contract includes the disposing of paint sludges, hydrocarbon solvents, oils and greases, and synthetic adhesives.

As of the date of your letter, we have directed that all of the above mentioned materials must be delivered to Pollution Controls Inc. at Shakopee, Minnesota, for disposal. Previous to this date, the materials were placed in 55 gallon steel drums and were disposed of unknowingly to us in a sanitary landfill operation operated by Red Arrow at or near White Bear Lake, Minnesota.

Estimated quantities of the materials that must be disposed of in a M.P.C.A. approved manner are as follows:

1. Hydrocarbon Solvents & Reducers	200 Gallons per month
2. Paint Solids (both wet & dry)	800 " " "
3. Oils & Greases	2,000 " " "
4. Synthetic Adhesives	50 " " "

Should you require further data regarding the physical properties of our waste materials or require information, please contact me, as we desire to fully cooperate with the agency in all matters.

Yours truly,

E. W. Hartung
Facilities Engineer
WHIRLPOOL CORPORATION

cc: D. Casey
A. Holland
B. McEvoy
T. Goodgame - Benton Harbor ✓
P. McGrath - Pollution Controls Inc.
R. Krawczewski - Red Arrow